

Artículos científicos

Departamento de Ecología (UAM)

2013	2012	2011	2010	2009
2008	2007	2006	2005	2004
2003	2002	2001	2000	1999
1998	1997	1996	1995	1994
1993	1992	1991		

Haga clic sobre el año que desee consultar.

Observaciones: la mayoría de los artículos poseen hasta 2013 un código identificador denominado *Call Number* a efectos de control interno y clasificación del Departamento.

(2013)

- Acebes,P.; Malo,J.E. & Traba,J. (2013) Trade-offs between food availability and predation risk in desert environments: The case of polygynous monomorphic guanaco (*Lama guanicoe*). *Journal of Arid Environments*, 97: 136-142. *Call Number: 1744*
- Acín-Carrera,M.; Marques,M.J.; Carral,P.; Álvarez,A.M.; López,C.; Martín-López,B. & González,J.A. (2013) Impacts of land-use intensity on soil organic carbon content, soil structure and water-holding capacity. *Soil Use and Management*, doi: 10.1111/sum.12064: *Call Number: 1750*
- Alcorlo,P. & Baltanás,A. (2013) The trophic ecology of the red swamp crayfish (*Procambarus clarkii*) in Mediterranean aquatic ecosystems: a stable isotope study. *Limnetica*, 32: 121-138. *Call Number: 1718*
- Azcárate,F.M.; Seoane,J.; Castro,S. & Peco,B. (2013) Drove roads: Keystone structures that promote ant diversity in Mediterranean forest landscapes. *Acta Oecologica*, 49: 107-115. *Call Number: 1717*
- Baltanás,A. & Danielopol,D.L. (2013) Body-size distribution and biogeographical patterns in non-marine ostracods (Crustacea: Ostracoda). *Biological Journal of the Linnean Society*, 109: 409-423.
- Barbero-Sierra,C.; Marques,M.J. & Ruíz-Pérez, M. (2013) The case of urban sprawl in Spain as an active and irreversible driving force for desertification. *Journal of Arid Environments*, 90: 95-102.
- Carmona,C.P.; Azcárate,F.M.; Oteros-Rozas,E.; González,J.A. & Peco,B. (2013) Assessing the effects of seasonal grazing on holm oak regeneration: implications for the conservation of Mediterranean dehesas. *Biological Conservation*, 159: 240-247. *Call Number: 1708*
- Carmona,C.P.; Azcárate,F.M. & Peco,B. (2013) Does cattle dung cause differences between grazing increaser and decreaser germination response? *Acta Oecologica*, 47: 1-7. *Call Number: 1709*
- Carmona,C.P.; Röder,A.; Azcárate,F.M. & Peco,B. (2013) Grazing management or physiography? Factors controlling vegetation recovery in Mediterranean grasslands. *Ecological Modelling*, 251: 73-84. *Call Number: 1710*
- Casas,J.; Larrañaga,A.; Menéndez,M.; Pozo,J.; Basaguren,A.; Martínez,A.; Pérez,J.; González,J.M.; Mollá,S.; Casado,C.; Descals,E.; Roblas,N.; López-González,J.A. & Valenzuela,J.L. (2013) Leaf litter decomposition of native and introduced tree species of

contrasting quality in headwater streams: How does the regional setting matter? *Science of the Total Environment*, 458-460: 197-208. *Call Number: 1720*

- Corella, J.P.; Stefanova, V.; El Anjoumi, A.; Rico, E.; Giral, S.; Moreno, A.; Plata-Montero, A. & Valero-Garcés, B.L. (2013) A 2500-year multi-proxy reconstruction of climate change and human activities in northern Spain: The Lake Arreo record. *Paleogeography, Paleoclimatology, Paleoecology*, 386: 555-568. *Call Number: 1743*
- Crossman, N.D.; Burkhard, B.; Nedkov, S.; Willemen, L.; Petz, K.; Palomo, I.; Drakou, E.G.; Martín-López, B.; McPhearson, T.; Boyanova, K.; Alkemade, R.; Egoh, B.; Dunbar, M.B. & Maes, J. (2013) A blueprint for mapping and modelling ecosystem services. *Ecosystem Services*, 4: 4-14. *Call Number: 1751*
- Delgado, M.P.; Sanza, M.A.; Morales, M.B.; Traba, J. & Rivera, D. (2013) Habitat selection and coexistence in wintering passerine steppe birds. *Journal of Ornithology*, 154: 469-479. *Call Number: 1736*
- Dobarro, I.; Pérez-Carmona, C. & Peco, B. (2013) Dissecting the effects of simulated cattle activity on floristic composition and functional traits in Mediterranean grasslands. *Plos One*, 8: e79822. doi:10.1371/journal.pone.0079822. *Call Number: 1769*
- García-Nieto, A.P.; García-Llorente, M.; Iniesta-Arandia, I. & Martín-López, B. (2013) Mapping forest ecosystem services: From providing units to beneficiaries. *Ecosystem Services*, 4: 126-138. *Call Number: 1752*
- Garzón-Casado, B.; Iniesta-Arandia, I.; García-Llorente, M. & Martín-López, B. (2013) Entendiendo las relaciones entre los paisajes y los servicios de los ecosistemas. Un análisis desde la historia socio-ecológica. *Cuides*, 10: 241-268. *Call Number: 1753*
- Gil-Delgado, J.A.; Villaescusa, J.A.; Diazmacip, M.E.; Velázquez, D.; Rico, E.; Toro, M.; Quesada, A. & Camacho, A. (2013) Minimum population size estimates demonstrate an increase in southern elephant seals (*Mirounga leonina*) on Livingston Island, maritime Antarctica. *Polar Biology*, 36: 607-610. *Call Number: 1713*
- Gómez-Baggethun, E.; Kelemen, E.; Martín-López, B.; Palomo, I. & Montes, C. (2013) Scale misfit in ecosystem service governance as a source of environmental conflict. *Society and Natural Resources*, 26: 1202-1216. *Call Number: 1764*
- González, J.M.; Mollá, S.; Roblas, N.; Descals, E.; Moya, O. & Casado, C. (2013) Small dams decrease leaf litter breakdown rates in Mediterranean mountain streams. *Hydrobiologia*, 712: 117-128. *Call Number: 1721*
- Gutiérrez-Rodríguez, L. & Ruiz-Pérez, M. (2013) Recent changes in Chinese forestry seen through the lens of Forest Transition theory. *International Forestry Review*, 15(4): 456-470.
- Gutiérrez-Rodríguez, L.; Ruiz-Pérez, M.; Yang, X.; Geriletu; Belcher, B.; Zhou, B. & Li, Z. (2013). Maintaining the contract responsibility system of forest land distribution in China: Evidence from a novel financial compensation scheme in Daxi Village of Anji County, Zhejiang. *Land Use Policy*, 30: 863-872.
- Hevia, V.; Azcárate, F.M.; Oteros-Rozas, E. & González, J.A. (2013) Exploring the role of transhumance drove roads on the conservation of ant diversity in Mediterranean agroecosystems. *Biodiversity and Conservation*, 22: 2567-2581.
- Higuera, D.; Martín-López, B. & Sánchez-Jabba, A. (2013) Social preferences towards ecosystem services provided by cloud forests in the neotropics: implications for conservation strategies. *Regional Environmental Change*, 13: 861-872. *Call Number: 1746*
- Iniesto, M.; López-Archilla, A.I.; Fregenal-Martínez, M.; Buscalioni, A.D. & Guerrero, M. (2013) Involvement of microbial mats in delayed decay: an experimental assay on fish preservation. *PALAIOS*, 28: 56-66. *Call Number: 1705*
- Iranzo, E.C.; Traba, J.; Acebes, P.; González, B.A.; Mata, C.; Estades, C.F. & Malo, J.E. (2013) Niche segregation between wild and domestic herbivores in Chilean Patagonia. *PLOS One*, 8: 1-8. *Call Number: 1737*

- Jauregui,B.M.; Rivera,D. & Peco,B. (2013) Does topsoil accelerate the decomposition of Litter on roadslopes? *Ecological Engineering*, 52: 88-95. *Call Number: 1711*
- Martín-Forés,I.; Martín-López,B. & Montes,C. (2013) Anthropomorphic factors influencing Spanish conservation policies of vertebrates. *International Journal of Biodiversity*, <http://dx.doi.org/10.1155/2013/142670>: *Call Number: 1754*
- Martín-López,B.; García-Llorente,M.; Iniesta-Arandia,I.; Castro,A.J.; Willaarts,B.; Aguilera,P.A. & Montes,C. (2013) La evaluación de los servicios de los ecosistemas suministrados por las cuencas hidrográficas del sureste semiárido andaluz. *Revista Eubacteria*, 31: 1-7. *Call Number: 1755*
- Martín-López,B.; Gómez-Baggethun,E.; García-Llorente,M. & Montes,C. (2013) Trade-offs across value-domains in ecosystem services assessment. *Ecological Indicators*, <http://dx.doi.org/10.1016/j.ecolind.2013.03.003>: *Call Number: 1756*
- Martínez-Martínez,M.; Alcaide,M.; Tchigvintsev,A.; Reva,O.; Polaina,J.; Bargiela,R.; Guazzaroni,M.E.; Chicote,A.; Canet,A.; Valero,F.; Rico,E.; Guerrero,M.C.; Yakunin,A.F. & Ferrer,M. (2013) Biochemical diversity of carboxyl esterases and lipases from Lake Arreo (Spain): a metagenomic approach. *Applied and Environmental Microbiology*, 79: 3553-3562. *Call Number: 1742*
- Martínez-Rodríguez,P.; Sarasa,J.; Peco,B.; Jauregui,B.M.; Rivera,D. & Bella,J.L. (2013) Endosymbiont-free ants: Molecular biological evidence that neither *Wolbachia*, *Cardinium* or any other bacterial endosymbionts play a role in thelytokous parthenogenesis in the harvester ant species, *Messor barbarous* and *Messor capitatus* (Hymenoptera: Formicidae). *European Journal of Entomology*, 110: (2) 197-204. *Call Number: 1712*
- Morales,M.B.; Guerrero,I. & Oñate,J.J. (2013) Efectos de la gestión agraria en las aves de los cultivos cerealistas: un proceso multiescalar. *Ecosistemas*, 22: 25-29. *Call Number: 1738*
- Morales,M.B.; Traba,J.; Delgado,M.P. & García de la Morena,E.L. (2013) The use of fallows by nesting Little Bustard *Tetrax tetrax* females: implications for conservation in mosaic cereal farmland. *Ardeola*, 60: 3-15. *Call Number: 1739*
- Nakai,R.; Shibuya,E.; Justel,A.; Rico,E.; Quesada,A.; Kobayashi,F.; Iwasaka,Y.; Shi,G.; Amano,Y.; Iwatsuki,T. & Naganuma,T. (2013) Phylogeographic analysis of filterable bacteria with special reference to *Rhizobiales* that occur in cryospheric habitats. *Antarctic Science*, 25: 219-228. *Call Number: 1714*
- Nieto-Romero,M.; Oteros-Rozas,E.; González,J.A. & Martín-López,B. (2013) Exploring the knowledge landscape of ecosystem services assessments in Mediterranean agroecosystems: Insights for future research. *Environmental Science & Policy*, <http://dx.doi.org/10.1016/j.envsci.2013.09.003>: *Call Number: 1766*
- Oteros-Rozas,E.; Martín-López,B.; López,C.A.; Palomo,I. & González,J.A. (2013) Envisioning the future of transhumant pastoralism through participatory scenario planning: a case of study in Spain. *The Rangeland Journal*, 35: 251-272. *Call Number: 1757*
- Oteros-Rozas,E.; Ontillera-Sánchez,R.; Sanosa,P.; Gómez-Baggethun,E.; Reyes-García,V. & González,J.A. (2013) Traditional ecological knowledge among transhumant pastoralists in Mediterranean Spain: learning for adaptation to global change. *Ecology and Society*, 18(3): 33.
- Palomo,I.; Martín-López,B.; Potschin,M.; Haines-Young,R. & Montes,C. (2013) National Parks, buffer zones and surrounding lands: Mapping ecosystem service flows. *Ecosystem Services*, 4: 104-116. *Call Number: 1758*
- Palomo,I.; Martín-López,B.; Zorrilla-Miras,P.; García del Amo,D. & Montes,C. (2013) Deliberative mapping of ecosystem services within and around Doñana National Park (SW Spain) in relation to land use change. *Regional Environmental Change*, DOI 10.1007/s10113-013-0488-5: *Call Number: 1760*

- Planillo,A. & Malo,J.E. (2013) Motorway verges: Paradise for prey species? A case study with the European rabbit. *Mammalian Biology*, 78: 187-192. *Call Number: 1767*
- Ramajo,L.; Baltanás,A.; Torres,R.; Manríquez,P.H.; Rodríguez-Navarro,A. & Lagos,N.A. (2013) Geographical variation in shell morphology of juvenile snails (*Concholepas concholepas*) along the physical–chemical gradient of the Chilean coast. *Journal of the Marine Biological Association of the United Kingdom*, 93: 2167-2176.
- Rico,E. & Quesada,A. (2013) Distribution and ecology of chironomids (Diptera, Chironomidae) on Byers Peninsula, Maritime Antarctica. *Antarctic Science*, 25: 288-291. *Call Number: 1715*
- Rico García-Amado,L.; Ruiz-Pérez,M. & Barrasa-García,S. (2013). Motivation for conservation: Assessing integrated conservation and development projects and payments for environmental services in La Sepultura Biosphere Reserve, Chiapas, Mexico. *Ecological Economics*, 89: 92-100.
- Rico García-Amado,L.; Ruiz-Pérez,M.; Dahringer,G.; Reyes-Escutia,F.; Barrasa-García,S. & Contreras-Mejía,E. (2013) From wild harvesting to agroforest cultivation: A *Chamaedorea* palm case study from Chiapas, Mexico. *Forest Policy and Economics*, 28: 44-51.
- Rochera,C.; Fernández-Valiente,E.; Van de Vijver,B.; Rico,E.; Toro,M.; Vincent,W.F.; Quesada,A. & Camacho,A. (2013) Community structure and photosynthetic activity of benthic biofilms from a waterfall in the maritime Antarctica. *Polar Biology*, 36: 1709-1722. *Call Number: 1768*
- Rochera,C.; Toro,M.; Rico,E.; Fernández-Valiente,E.; Villaescusa,J.A.; Picazo,A.; Quesada,A. & Camacho,A. (2013) Structure of planktonic microbial communities along a trophic gradient in lakes of Byers Peninsula, South Shetland Islands. *Antarctic Science*, 25: 277-287. *Call Number: 1716*
- Ruiz-Capillas,P.; Mata,C. & Malo,J.E. (2013) Road verges are refuges for small populations in extensively managed Mediterranean landscapes. *Biological Conservation*, 158: 223-229. *Call Number: 1703*
- Santos-Martín,F.; Martín-López,B.; García-Llorente,M.; Aguado,M.; Benayas,J. & Montes,C. (2013) Unraveling the relationships between ecosystem and human wellbeing in Spain. *Plos One*, 8: 1-12. *Call Number: 1759*
- Seoane,J.; Villén-Pérez,S. & Carrascal,L.M. (2013) Environmental determinants of seasonal changes in bird diversity of Mediterranean oakwoods. *Ecological Research*, 28:435-445.
- Tarjuelo,R.; Delgado,M.P.; Bota,G.; Morales,M.B.; Traba,J.; Ponjoan,A.; Hervás,I. & Mañosa,S. (2013) Not only habitat but also sex: Factors affecting spatial distribution of Little Bustard *Tetrax tetrax* families. *Acta Ornithologica*, 48: 119-128. *Call Number: 1761*
- Traba,J.; Acebes,P.; Malo,J.E.; García,J.T.; Carriles,E.; Radi,M. & Znari,M. (2013) Habitat selection and partitioning of the Black-bellied Sandgrouse (*Pterocles orientalis*), the Stone Curlew (*Burhinus oedipnemos*) and the Cream-coloured Courser (*Cursorius cursor*) in arid areas of North Africa. *Journal of Arid Environments*, 94: 10-17. *Call Number: 1740*
- Villaescusa,J.A.; Rochera,C.; Velázquez,D.; Rico,E.; Quesada,A. & Camacho,A. (2013) Bacterioplankton summer dynamics in a maritime Antarctic lake. *Limnetica*, 32: 253-268. *Call Number: 1770*

[\(Inicio\)](#)

[\(2012\)](#)

- Acebes,P.; Traba,J. & Malo,J.E. (2012) Co-occurrence and potential for competition between wild and domestic large herbivores in a South American desert. *Journal of Arid Environments*, (77) 39-44. *Call Number: 1668*

- Arellano,G. & Peco,B. (2012) Testing the role of seed size in annual legume seedling performance under experimental autumn moisture conditions. *Journal of Vegetation Science*, 23: 690-697. Call Number: 1698
- Azcárate,F.M. & Peco,B. (2012) Abandonment of grazing in a Mediterranean grassland area: consequences for ant assemblages. *Insect Conservation and Diversity*, 5: 279-288. Call Number: 1706
- Bordallo,A. & Casado,C. (2012) Aproximación al establecimiento de una red de referencia para la implantación de la Directiva Marco del Agua en la Comunidad de Madrid. *Limnetica*, 31: (1) 1-12. Call Number: 1696
- Camacho,A.; Rochera,C.; Villaescusa,J.A.; Velázquez,D.; Toro,M.; Rico,E.; Fernández-Valiente,F.; Justel,A.; Bañon,M. & Quesada,A. (2012) Maritime Antarctic lakes as sentinels of climate change. *International Journal of Design & Nature Ecodynamics*, 7: (3) 239-250. Call Number: 1700
- Carmona,C.P.; Azcárate,F.M.; de Bello,F.; Ollero,H.S.; Leps,J. & Peco,B. (2012) Taxonomical and functional diversity turnover in Mediterranean grasslands: interactions between grazing, habitat type and rainfall. *Journal of Applied Ecology*, 49: (5) 1084-1093. Call Number: 1707
- Carrascal,L.M.; Seoane, J. & Villén-Pérez, S. (2012). Temperature and food constraints in wintering birds: an experimental approach in montane Mediterranean oakwoods. *Community Ecology*, 13: 221-229.
- Díaz-Reviriego,I., Ruiz-Perez,M. & González-Nóvoa,J.A. (2012) Las Convenciones Ambientales Internacionales y la sociedad civil: Un análisis de redes sociales en España. *Ecosistemas*, 21(1-2): 192-202.
- Dobarro,I.; Gazol,E. & Peco,B. (2012) Relative contribution of delaying senescence to growth compensation after defoliation. *Ecological Research*, 27: 475-479. Call Number: 1694
- Faria,N.; Rabaça,J.E. & Morales,M.B. (2012) Linking plant composition and arthropod abundance to establish little bustard breeding requirements in pastureland dominated landscapes. *Biodiversity and Conservation*, 21: 2109-2125. Call Number: 1731
- Faria,N.; Rabaça,J.E. & Morales,M.B. (2012) The importance of grazing regime in the provision of breeding habitat for grassland birds: The case of the endangered little bustard (*Tetrax tetrax*). *Journal for Nature Conservation*, 20: 211-218. Call Number: 1732
- García-Llorente,M.; Martín-López,B.; Iniesta-Arandia,I.; López-Santiago,C.A.; Aguilera,P. & Montes,C. (2012) The role of multi-functionality in social preferences toward semi-arid rural landscapes: An ecosystem service approach. *Environmental Science & Policy*, (19-20) 136-146. Call Number: 1745
- Guerrero,I.; Morales,M.B.; Oñate,J.J.; Geiger,F.; Berendse,F.; de Snoo,G.; Eggers,S.; Pärt,T.; Bengtsson,J.; Clement,L.W.; Weisser,W.W.; Olszewski,A.; Ceryngier,P.; Hawro,V.; Liira,J.; Aavik,T.; Fischer,C.; Flohre,A.; Thies,C. & Tschardt,T. (2012) Response of ground-nesting farmland birds to agricultural intensification across Europe: Landscape and field level management factors. *Biological Conservation*, 152: 74-80. Call Number: 1733
- Iglesias,C.; Mata,C. & Malo,J.E. (2012) The influence of traffic noise on vertebrate road crossing through underpasses. *Ambio*, 41: 193-201. Call Number: 1680
- López-Archilla,A.I.; Coleto,M.C.; Montes,C.; Peñin,I. & Guerrero,M.C. (2012) Temporal variation of phytoplankton in two neighbouring Mediterranean shallow lakes in Doñana National Park (Spain). *Limnetica*, 31: (2) 289-304. ISSN/ISBN: 0213-8409. Call Number: 1702
- Martín-López,B.; Iniesta-Arandia,I.; García-Llorente,M.; Palomo,I.; Casado-Arzuaga,I.; García del Amo,D.; Gómez-Baggethun,E.; Oteros-Rozas,E.; Palacios-Agundez,I.; Willaarts,B.; González,J.A.; Santos-Martín,F.; Onaindia,M.; López-Santiago,C. & Montes,C. (2012) Uncovering ecosystem service bundles through social preferences. *Plos One*, 7: 1-11. Call Number: 1747

- Mendoza de,G.; Rico,E. & Catalan,J. (2012) Predation by introduced fish constrains the thermal distribution of aquatic Coleoptera in mountain lakes. *Freshwater Biology*, 57: 803-814. *Call Number: 1679*
- Morales,M.B.; Guerero,I.; Oñate,J.J. & Meléndez,L. (2012) Inter-specific association and habitat use in farmland passerine assamblage. *Ecological Research*, 27: 691-700. *Call Number: 1734*
- Oteros-Rozas,E.; González,J.A.; Martín-López,B.; López,C.A.; Zorrilla-Miras,P. & Montes,C. (2012) Evaluating ecosystem services in transhumance cultural landscapes. *Gaia*, 21: 185-193. *Call Number: 1748*
- Peco,B.; Carmona,C.P.; de Pablos,I. & Azcárate,F.M. (2012) Effects of grazing abandonment on functional and taxonomic diversity of Mediterranean grassland. *Agriculture, Ecosystems and Environment*, 152: 27-32. *Call Number: 1698*
- Rico García-Amado,L.; Ruiz-Pérez,M.; Iniesta,I.; Dahringer,G.; Reyes,F. & Barrasa,S. (2012) Building ties: social capital network analysis of a forest community in a biosphere reserve in Chiapas, Mexico. *Ecology and Society*, 17(3): 3.
- Rivera,D.; Jáuregui,B.M. & Peco,B. (2012) The fate of herbaceous seeds during topsoil stockpiling: Restoration potential of seed banks. *Ecological Engineering*, 44: 94-101. *Call Number: 1692*
- Rocha,P.; Morales,M.B. & Moreira,F. (2012) Nest site habitat selection and nesting performance of the Great Bustard *Otis tarda* in Southern Portugal: implications for conservation. *Bird Conservation International*, <http://dx.doi.org/10.1017/S0959270912000202>; *Call Number: 1735*
- Rodríguez,E.; Peco,B. & Gurrea,P. (2012) Effect of Scotch broom, *Cytisus scoparius*, pod size and patch density on *Exapion fuscirostre* (Coleoptera, Apionidae) seed weevil oviposition. *Australian Journal of Entomology*, 51: 127-132. *Call Number: 1693*
- Sanza,M.A.; Traba,J.; Morales,M.B.; Rivera,D. & Delgado,M.P. (2012) Effects of landscape, conspecifics and heterospecifics on habitat selection by breeding farmland birds: the case of the Calandra Lark (*Melanocypha calandra*) and Corn Bunting (*Emberiza calandra*). *Journal Ornithology*, 153: 525-533. *Call Number: 1689*
- Sandker,M.; Ruiz-Pérez,M. & Campbell,B.M. (2012) Trade-offs between Biodiversity Conservation and Economic Development in five Tropical Forest Landscapes. *Environmental Management*, 50(4): 633-644.
- Sayer,J.A.; Endamana,D.; Ruiz-Pérez,M.; Boedihartono,A.; Nzooh,Z.; Eyebe,A.; Awono,A.; Usongo,L. (2012) Global financial crisis impacts forest conservation in Cameroon. *International Forestry Review*, 14(1): 90-98.
- Torres-Sovero,C.; González,J.A.; Martín-López,B. & Kirkby,C.A. (2012) Social-ecological factors influencing tourist satisfaction in three ecotourism lodges in the southeastern Peruvian Amazon. *Tourism Management*, 33: 545. *Call Number: 1674*
- Vilarde,S.P.; González,J.A.; Martín-López,B.; Oteros-Rozas,E. & Montes,C. (2012) Los servicios de los ecosistemas de la Reserva de Biosfera Ciénaga Grande de Santa Marta. *Revista Iberoamericana de Economía Ecológica*, 19: 66-83. *Call Number: 1749*

(Inicio)

(2011)

- Baltanás,A. & Danielopol,D.L. (2011) Geometric Morphometrics and its use in ostracod research: a short guide. *Joannea Geologie Paläontologie*, 11: 235-272.

- Baltanás,A. & Reina,M. (2011). Body-size frequency distribution in Cypridoidean non-marine ostracods (Crustacea, Ostracoda). *Joannea Geologie Paläontologie*, 11: 18-20.
- Benayas,J.; Quesada,A. & Barbosa,A. (2011) La investigación española en Ecología y Biología en la Antártida. *Ecosistemas*, 20: (1) 1-4. *Call Number: 1651*
- Casado,C.; Losada,L. & Mollá,S. (2011) Efecto de las áreas de protección especial en la comunidad de macroinvertebrados de los ríos de la cuenta alta del Manzanares (Sierra de Guadarrama, Madrid). *Limnetica*, 30: (1) 71-88. *Call Number: 1648*
- Castro,A.J.; Martín-López,B.; García-Llorente,M.; Aguilera,P.A.; López,E. & Cabello,J. (2011) Social preferences regarding the delivery of ecosystem services in a semiarid Mediterranean region. *Journal of Arid Environments*, 75: 1201-1208. *Call Number: 1655*
- Corella,J.P.; El Amrani,A.; Sigró,J.; Morellón,M.; Rico,E. & Valero-Garcés,B.L. (2011) Recent evolution of Lake Arreo, northern Spain: influences of land use change and climate. *Journal of Paleolimnology*, (46) 469-485. *Call Number: 1664*
- Danielopol,D.L.; Baltanás,A.; Morocutti,U. & Österreicher,F. (2011) On the need to renew the taxonomic system of the Candoninae (non-marine Ostracoda, Crustacea). Reflexions from an analysis of data using the Yule process. *Geo-Eco-Marina*, 17: 5-20.
- Delgado,M.P.; Traba,J. & Morales,M.B. (2011) Climate niche constraints in two coexisting steppe birds: the Little and the Great Bustards. *Ardeola*, 58: 223-238. *Call Number: 1730*
- Eyebe,A.; Endamana,D.; Sayer,J.; Ruiz-Pérez,M.; Boedihartono,A.K.; Walters,G.; Angu,K.; Ngono,L. (2011) Community forestry and the challenge of aligning with Cameroon's green economy. *Nature & Faune*, 26(1): 49-53.
- Ezzine,D.; Rico,L.; Ruiz-Pérez,M. & Maris,V. (2011) La biodiversidad en el universo de los pagos por los servicios ambientales: desentrañando lo inextricable. *Revista Española de Estudios Agrosociales y Pesqueros*, 228: 11-47. *Call Number: 1636*
- Ezzine,D.; Ruiz Pérez,M. & Vermeulen,C. (2011) Management Conflicts in Cameroonian Community Forests. *Ecology and Society*, 16: (1) 8-online. *Call Number: 1607*
- Flohre,A.; Fischer,C.; Aavik,T.; Bengtsson,J.; Berendse,F.; Bommargo,R.; Ceryngier,P.; Clement,L.W.; Dennis,C.; Emmerson,M.; Geiger,F.; Guerrero,I.; Hawro,V.; Inchausti,P.; Liira,J.; Morales,M.B.; Oñate,J.J.; Pärt,T.; Weisser,W.W.; Winqvist,C.; Thies,C. & Tschardtke,T. (2011) Agricultural intensification and biodiversity partitioning in European landscapes comparing plants, carabids, and birds. *Ecological Applications*, 21: (5) 1772-1781. *Call Number: 1649*
- García Llorente,M.; Martín-López,B. & Montes,C. (2011) Exploring the motivations of protesters in contingent valuation: Insights for conservation policies. *Environmental Science & Policy*, 14: 76-88. *Call Number: 1624*
- García,J.T.; Mañosa,S.; Morales,M.B.; Ponjoan,A.; García de la Morena,E.L.; Bota,G.; Bretagnolle,V. & Dávila,J.A. (2011) Genetic consequences of interglacial isolation in a steppe bird. *Molecular Phylogenetics and Evolution*, 61: 671-676. *Call Number: 1660*
- García-Llorente,M.; Martín-López,B.; Díaz,S. & Montes,C. (2011) Can ecosystem properties be fully translated into service values? An economic valuation of aquatic plant services. *Ecological Applications*, 21: (8) 3083-3103. *Call Number: 1673*
- García-Llorente,M.; Martín-López,B.; Nunes,P.A.L.D.; González,J.A.; Alcorlo,P. & Montes,C. (2011) Analyzing the social factors that influence willingness to pay for the management of invasive alien species under two different strategies: eradication and prevention. *Environmental Management*, 48: 418-435. *Call Number: 1654*
- Gómez-Baggethun,E.; Alcorlo,P. & Montes,C. (2011) Ecosystem services associated with a mosaic of alternative states in a Mediterranean wetland: case study of the Doñana marsh (southwestern Spain). *Hydrological Sciences Journal*, 56: 1374-1387. *Call Number: 1765*

- Gómez-Baggethun, E. & Ruiz-Pérez, M. (2011) Economic valuation and the commodification of ecosystem services. *Progress in Physical Geography*, 35(5): 613-628.
- Guerrero, I.; Morales, M.B.; Oñate, J.J.; Aavik, T.; Bengtsson, J.; Berendse, F.; Clement, L.W.; Dennis, C.; Eggers, S.; Emmerson, M.; Fischer, C.; Florín, M.; Geiger, F.; Hawro, V.; Inchausti, P.; Kalamees, A.; Kinks, R.; Liira, J.; Meléndez, L.; Pärt, T.; Thies, C.; Tschardtke, T.; Olszewski, A. & Weisser, W.W. (2011) Taxonomic and functional diversity of farmland bird communities across Europe: effects of biogeography and agricultural intensification. *Biodiversity and Conservation*, On line; 20 september 2011: *Call Number: 1659*
- Gutiérrez Rodríguez, L.; Ruiz-Pérez, M.; Yang, X. & Geriletu. (2011) From farm to rural hostel: new opportunities and challenges associated with tourism expansion in Daxi, a village in Anji County, Zhejiang, China. *Sustainability*, 3: 306-321. ISSN/ISBN: 2071-1050. *Call Number: 1606*
- López-Jamar, J.; Casas, F.; Diaz, M. & Morales, M.B. (2011) Local differences in habitat selection by Great Bustards *Otis tarda* in changing agricultural landscapes: implications for farmland bird conservation. *Bird Conservation International*, 21: 328-341. *Call Number: 1615*
- Malo, J.E.; Acebes, P.; Giannoni, S.M. & Traba, J. (2011) Feral livestock threatens landscapes dominated by columnar cacti. *Acta Oecologica*, 37: 249-255. *Call Number: 1641*
- Martín-López, B.; García-Llorente, M.; Palomo, I. & Montes, C. (2011) The conservation against development paradigm in protected areas: Valuation of ecosystem services in the Doñana social-ecological system (southwestern Spain). *Ecological Economics*, 70: 1481-1491. *Call Number: 1643*
- Martín-López, B.; González, J.A. & Montes, C. (2011) The pitfall-trap of species conservation priority setting. *Biodiversity and Conservation*, 20: 663-682. *Call Number: 1627*
- Martín-López, B.; Martín-Forés, I.; González, J.A. & Montes, C. (2011) La conservación de la biodiversidad en España: atención científica, construcción social e interés político. *Ecosistemas*, 20: (1) *Call Number: 1656*
- Namiotko, T.; Danielopol, D.L. & Baltanás, A. (2011) Soft body morphology, dissection and slide-preparation of Ostracoda: a primer. *Joannea Geologie Paläontologie*, 11: 327-343.
- Ovejero, R.J.A.; Acebes, P.; Malo, J.E.; Traba, J.; Mosca, M.E. & Borghi, C.E. (2011) Lack of feral livestock interference with native guanaco during the dry season in a South American desert. *Eur J Wildl Res*, (57) 1007-1015. *Call Number: 1666*
- Palomo, I.; Martín-López, B.; López-Santiago, C. & Montes, C. (2011) Participatory scenario planning for protected areas management under the ecosystem services framework: The Doñana social-ecological system in southwestern Spain. *Ecology and Society*, 16: (1) 23 (online). *Call Number: 1629*
- Peco, B.; Borghi, C.E.; Malo, J.E.; Acebes, P.; Almirón, M. & Campos, C.M. (2011) Effects of bark damage of feral herbivores on columnar cactus *Echinopsis (=Trichocereus) terscheckii* reproductive output. *Journal of Arid Environments*, (75) 981-985. *Call Number: 1667*
- Pozo, J.; Casas, J.; Menéndez, M.; Mollá, S.; Arostegui, I.; Basafuren, A.; Casado, C.; Descals, E.; García-Avilés, J.; González, J.M.; Larrañaga, A.; López, E.; Lusi, M.; Moya, O.; Pérez, J.; Riera, T.; Roblas, N. & Salinas, M.J. (2011) Leaf-litter decomposition in headwater streams: a comparison of the process among four climatic regions. *J. N. Am. Benthol. Soc.*, 30: (4) 935-950. *Call Number: 1663*
- Rico García-Amado, L.; Ruiz-Pérez, M.; Reyes-Escutia, F.; Barrasa-García, S.; Contreras-Mejía, E. (2011) Efficiency of Payments for Environmental Services: Equity and additionality in a case study from a Biosphere Reserve in Chiapas, Mexico. *Ecological Economics*, 70: 2361-2368.
- Rochera, C.; Villaescusa, J.A.; Díazmacip, M.E.; Gil-Delgado, J.A.; Toro, M.; Rico, E.; Velázquez, D.; Quesada, A. & Camacho, A. (2011) Interacciones bióticas en lagos Antárticos. Investigaciones derivadas del proyecto Limnopolar en la Península Byers (Antártida marítima). *Ecosistemas*, 20: (1) 23-32. *Call Number: 1652*

- Ruiz-Labourdette,D.; Martínez,F.; Martín-López,B. & Pineda,F.D. (2011) Equilibrium of vegetation and climate at the European rear edge. A reference for climate change planning in mountainous Mediterranean regions. *Int.J.Biometeorol.*, 55: 285-301. *Call Number: 1642*
- Ruiz-Pérez,M.; Franco-Múgica,F. ; González,J.A.; Gómez-Baggethun,E.; Alberruche-Rico,M.A. (2011) An institutional analysis of the sustainability of fisheries: Insights from FishBanks simulation game. *Ocean and Coastal Management*, 54: 585-592.
- Sandker,M.; Bokoto de Semboli,B.; Roth,P.; Péllisier,C.; Ruiz-Pérez,M.; Sayer,J.; Andrea,K.; Turkalo,A.K.; Omoze,F. & Campbell,B.M. (2011) Logging or Conservation Concession: Exploring Conservation and Development Outcomes in Dzanga-Sangha, Central African Republic. *Conservation & Society*, 9(4): 299-310.
- Tarjuelo,R.; Morales,M.B. & Traba,J. (2011) Breadth and sepecialization in microhabitat selection: The case of the algerian mouse (*Mus spretus*) en central Spain. *Rev. Ecol. (Terre Vie)*, 67: 1-12. *Call Number: 1616*
- Tejedo,P.; Pertierra,L.; Benayas,J. & Boada,M. (2011) Equilibrios sobre el hielo: una breve (pero completa) revisión del conocimiento sobre el impacto humano en la Antártida. *Ecosistemas*, 20: (1) 69-86. *Call Number: 1653*
- Velasco,S.; Guerrero,M.C.; Montes,C. & López-Archilla,A.I. (2011) Regulation and spatiotemporal patterns of extracellular enzyme activities in coastal, sandy aquifer system (Doñana, SW Spain). *Microb. Ecol.*, 62: 162-176. *Call Number: 1665*
- Vilarly,S.P.; González,J.L.; Martín-López,B. & Montes,C. (2011) Relationships between hydrological regime and ecosystem services supply in a Caribbean coastal wetland: a social-ecological approach. *Hydrological Sciences Journal*, 56: (8) 1423-1435. *Call Number: 1675*

[\(Inicio\)](#)

(2010)

- Acebes,P. (2010) Ecología y conservación del guanaco (*Lama guanicoe*) en un área protegida del Desierto del Monte, Argentina. *GECS News*, 3: 21-26. *Call Number: 1597*
- Acebes,P.; Traba,J.; Malo,J.E.; Ovejero,R. & Borghi,C. (2010) Density and habitat use of an isolated population of guanaco (*Lama guanicoe*) in the Monte desert of Argentina. *Mammalia*, 74: 57-62. *Call Number: 1526*
- Acebes,P.; Traba,J.; Peco,B.; Reus,M.L.; Giannoni,S.M. & Malo,J.E. (2010) Abiotic gradients drive floristic composition and structure of plant communities in the Monte Desert. *Revista Chilena de Historia Natural*, 83: 395-407. *Call Number: 1605*
- Azcárate,F.M.; Manzano,P. & Peco,B. (2010) Testing seed-size predictions in Mediterranean annual grasslands. *Seed Science Research*, 20: 179-188. *Call Number: 1686*
- Brochet,A.L.; Gauthier-Clerc,M.; Guillemain,M.; Fritz,H.; Waterkeyn,A.; Baltanás,A. & Green,A.J. (2010) Field evidence of dispersal of branchiopods, ostracods and bryozoans by teal (*Anas crecca*) in the Camargue (southern France). *Hydrobiologia*, 637: 255-261.
- Delgado,M.P.; Traba,J.; García de la Morena,E.L. & Morales,M.B. (2010) Habitat selection and density-dependent relationships in spatial occupancy by male Little Bustards *Tetrax tetrax*. *Ardea*, 98: (2) 185-194. *Call Number: 1593*
- Dobarro,I.; Valladares,F. & Peco,B. (2010) Ligth quality and not quantity segregates germination of grazing increasers from decreaseers in Mediterranean grasslands. *Acta Oecologica*, 36: 74-79. *Call Number: 1688*
- Endamana,D.; Boedhihartono,A.K.; Bokoto,B.; Defo,L.; Eyebe,A.; Ndikumagenge,C.; Nzooh,Z.; Ruiz-Pérez,M. & Sayer,A. (2010) A framework for assessing conservation and

development in a Congo Basin Forest Landscape. *Tropical Conservation Science*, 3: (3) 262-281. *Call Number: 1594*

- Geiger,F.; Bengtsson,J.; Berendse,F.; Weisser,W.W.; Emmerson,M.; Morales,M.B.; Ceryngier,P.; Liira,J.; Tscharrntke,T.; Winqvist,C.; Eggers,S.; Bommarco,R.; Pärt,T.; Bretagnolle,V.; Plantegenest,M.; Clement,L.W.; Dennis,C.; Palmer,C.; Oñate,J.J.; Guerrero,I.; Hawro,V.; Aavik,T.; Thies,C.; Flohre,A.; Hänke,S.; Fischer,C.; Goedhart,P.W. & Inchausti,P. (2010) Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland. *Basic and Applied Ecology*, 11: 97-105. *Call Number: 1533*
- Geiger,F.; R de Snoo,G.; Berendse,F.; Guerrero,I.; Morales,M.B.; Oñate,J.J.; Eggers,S.; Pärt,T.; Bommarco,R.; Bengtsson,J.; Clement,L.W.; Weisser,W.W.; Olszewski,A.; Ceryngier,P.; Hawro,V.; Inchausti,P.; Fischer,C.; Flohre,A.; Thies,C. & Tscharrntke,T. (2010) Landscape composition influences farm management effects on farmland birds in winter: A pan-European approach. *Agriculture, Ecosystems and Environment*, 139: 571-577. *Call Number: 1614*
- Guerrero,I.; Martinez,P.; Morales,M.B. & Oñate,J.J. (2010) Influence of agricultural factors on weed, carabid and bird richness in a Mediterranean cereal cropping system. *Agriculture, Ecosystems and Environment*, 138: 103-108. *Call Number: 1532*
- Manzano,P.; Azcárate,F.M.; Peco,B. & Malo,J.E. (2010) Are ecologists blind to small things? The missed stories on non-tropical seed predation on feces. *Oikos*, 119: 1537-1545. *Call Number: 1600*
- Martín-López,B.; García-Llorente,M.; Gómez-Baggethun,E. & Montes,C. (2010) Evaluación de los servicios de los ecosistemas del sistema socio-ecológico de Doñana. *Foro de Sostenibilidad*, 4: 91-111. *Call Number: 1647*
- Moreno,V.; Morales,M.B. & Traba,J. (2010) Avoiding over-implementation of agri-environmental schemes for steppe bird conservation: A species-focused proposal based on expert criteria. *Journal of Environmental Management*, 91: 1802-1809. *Call Number: 1536*
- Rochera,C.; Justel,A.; Fernández-Valiente,E.; Bañón,M.; Rico,E.; Toro,M.; Camacho,A. & Quesada,A. (2010) Interannual meteorological variability and its effects on a lake from maritime Antarctica. *Polar Biol*, 33: 1615-1628. *Call Number: 1610*
- Sandker,M.; Campbell,B.; Ruiz-Pérez,M.; Sayer,J.; Cowling,R.; Kassam,H. & Knight,A. (2010) The role of participatory modeling in landscape approaches to reconcile conservation and development. *Ecology and Society*, 15: (2) art.13. *Call Number: 1537*
- Tarjuelo,R.; Guerrero,I.; Oñate,J.J. & Morales,M.B. (2010) Influencia de la gestión agraria sobre la abundancia de micromamíferos en zonas de cultivo del centro peninsular. *Ecología*, 23: 165-176. *Call Number: 1603*
- Traba,J.; Acebes,P.; Campos,V.E. & Giannoni,S.M. (2010) Habitat selection by two sympatric rodent species in the Monte desert, Argentina. First data for *Eligmodontia moreni* and *Octomys mimax*. *Journal of Arid Environments*, 74: 179-185. *Call Number: 1599*
- van Stallduinen,M.A.; Dobarro,I. & Peco,B. (2010) Interactive effects of clipping and nutrient availability on the compensatory growth of a grass species. *Plant Ecology*, 208: 55-64. *Call Number: 1687*
- Villers,A.; Millon,A.; Jiguet,F.; Lett,J.M.; Attie,C.; Morales,M.B. & Breatgnolle,V. (2010) Migration of wild and captive-bred Little Bustards *Tetrax tetrax*: releasing birds from Spain threatens attempts to conserve declining French populations. *Ibis*, 152: 254-261. *Call Number: 1513*

[\(Inicio\)](#)

[\(2009\)](#)

- Agius, J.T.; Gibson, J.A.E.; Rico, E. & Quesada, A. (2009) Paleolimnological evidence confirms that *Parochlus steinenii* (Gerke) is not a recent introduction to the Antarctic Peninsula region. *Chironomus*, 22: 18-21. ISSN/ISBN: 0172-1941. *Call Number: 1574*
- Carrascal, L.M. & Seoane, J. (2009) Linking density, productivity and trends of an endangered species. The Bonelli's eagle in Spain. *Acta Oecologica*, 35: 341-348. *Call Number: 1451*
- Delgado, M.P.; Morales, M.B.; Traba, J. & García de la Morena, E.L. (2009) Determining the effects of habitat management and climate on the population trends of a declining steppe bird. *Ibis*, 151: 440-451. *Call Number: 1514*
- Ezzine de Blas, D.; Ruiz-Pérez, M.; Sayer, J.A.; Lescuyer, G.; Nasi, R. & Karsenty, A. (2009) External Influences on and Conditions for Community Logging Management in Cameroon. *World Development*, 37: (2) 445-456. *Call Number: 1317*
- Gutiérrez-Rodríguez, L.; Ruiz-Pérez, M.; Yang, X.; Fu, M.; Geriletu & Wu, D. (2009) Changing contribution of forests to livelihoods: evidence from Daxi Village, Zhejiang Province, China. *International Forestry Review*, 11: (3) 319-330. *Call Number: 1502*
- Martín-López, B.; Gómez-Baggethun, E.; Lomas, P.L. & Montes, C. (2009) Effects of spatial and temporal scales on cultural services valuation areas. *Journal of Environmental Management*, 90: 1050-1059. *Call Number: 1305*
- Martín-López, B.; Montes, C.; Ramírez, L. & Benayas, J. (2009) What drives policy decision-making related to species conservation? *Biological Conservation*, 149: 1370-1380. *Call Number: 1508*
- Mata, C.; Hervás, I.; Herranz, J.; Malo, J.E. & Suárez, F. (2009) Seasonal changes in wildlife use of motorway crossing structures and their implication for monitoring programmes. *Transportation Research. Part D: Transport and Environment*, 14: 447-452. *Call Number: 1527*
- Mora Vicente, S.; Caujapé-Castells, J.; Pérez de Paz, J.; Feblés Hernández, R. & Malo, J.E. (2009) Isozyme diversity in some Canarian woody endemisms of the genus *Echium* L. (Boraginaceae). *Plant Systematics Evolution*, 279: 139-149. *Call Number: 1452*
- Peco, B.; Rico, L. & Azcárate, F.M. (2009) Seed size and response to rainfall patterns in annual grasslands: 16 years of permanent plots. *Journal of Vegetation Science*, 20: 8-16. ISSN/ISBN: 1100-9233. *Call Number: 1458*
- Sandker, M.; Campbell, B.; Nzooch Dongmo, Z.; Sunderland, T.; Amougou, V.; Defo, L. & Sayer, J. (2009) Exploring the effectiveness of integrated conservation and development interventions in a Central African forest landscape. *Biodiversity and Conservation*, (18) 2875-2892. *Call Number: 1507*
- Suárez, F.; García, J.T.; Carriles, E.; Calero-Riestra, M.; Aguirre, A.; Justríbó, J.H. & Garza, V. (2009) Sex-ratios of an endangered lark after controlling for a male-biased sampling. *Ardeola*, 56: (1) 113-118. *Call Number: 1487*
- Tejedero, P.; Justel, A.; Benayas, J.; Rico, E.; Convey, P. & Quesada, A. (2009) Soil trampling in an Antarctic specially protected area: tools to assess levels of human impact. *Antarctic Science*, 21: (3) 229-236. *Call Number: 1609*
- Velasco Ayuso, S.; Acebes, P.; López-Archilla, A.I.; Montes, C. & Guerrero, M.C. (2009) Environmental factors controlling the spatiotemporal distribution of microbial communities in a coastal, sandy aquifer system (Doñana, southwest Spain). *Hydrogeology*, (on line): *Call Number: 1389*
- Velasco Ayuso, S.; Guerrero, M.C.; Montes, C. & López-Archilla, A.I. (2009) Spatiotemporal distribution of microbial communities in a coastal, sandy aquifer system (Doñana, SW Spain). *Geobiology*, 7: 66-81. *Call Number: 1390*

(Inicio)

(2008)

- Alcorlo,P.; Geiger,W. & Otero,M. (2008) Reproductive biology and life cycle of the invasive crayfish *Procambarus clarkii* (Crustacea: Decapoda) in diverse aquatic habitats of South-Western Spain: Implications for population control. *Fundamental and Applied Limnology. Archiv für Hydrobiologie*, 173: (3) 197-212. *Call Number:1303*
- Baltanás,A. (2008) Geometric Morphometrics. A contribution to the study of shape variability in ostracods. *Berichte des Institutes für Karl-Franzens-Universität Graz*, 13: 3-16.
- Campos,C.M.; Peco,B.; Campos,V.E.; Malo,J.E.; Giannoni,S.M. & Suárez,F. (2008) Endozoochory by native and exotic herbivores in dry areas: consequences for germination and survival of *Prosopis* seeds. *Seed Science Research*, 18: 91-100. *Call Number:1315*
- Carrascal,L.M.; Palomino,D.; Seoane,J. & Alonso,C.L. (2008) Habitat use and population density of the houbara bustard *Chlamydotis undulata* in Fuerteventura (Canary Islands). *Afr. J. Ecol.*, 46: 291-302. *Call Number: 1428*
- Carrascal,L.M.; Seoane,J. & Palomino,D. (2008) Bias in density estimations using strip transects in dry open-country environments in the Canary Islands. *Animal Biodiversity and Conservation*, 31: (2) 45-50. ISSN/ISBN: 1578-665X. *Call Number: 1450*
- Carrascal,L.M.; Seoane,J.; Palomino,D. & Polo,V. (2008) Explanations for bird species range size: ecological correlates and phylogenetic effects in the Canary Islands. *Journal of Biogeography*, 35: 2061-2073. *Call Number: 1422*
- Danielopol,D.L.; Baltanás,A.; Namiotko,T.; Geiger,W.; Pichler,M.; Reina,M. & Roidmayr,G. (2008) Developmental trajectories in geographically separated populations of non-marine ostracods: morphometric applications for palaeoecological studies. *Senckenbergiana lethaea*, 88: (1) 183-193. *Call Number: 1393*
- Danielopol,D.L.; Gross,M.; Piller,W.E. & Baltanás,A. (2008) Ostracods of the paratethys sea and lake pannon-perspectives for renewal of cooperative projects. *Senckenbergiana lethaea*, 88: (1) 141-145. *Call Number: 1392*
- Danielopol,D.L.; Neubauer,W. & Baltanás,A. (2008) Introduction to the Computer Programme MORPHOMATICA. *Berichte des Institutes für Erdwissenschaften Karl-Franzens-Universität Graz*, 13: 18-42.
- Ezzine de Blas,D.& Ruiz Pérez,M. (2008) Prospects for Reduced Impact Logging in Central African logging concessions. *Forest Ecology and Management*, 256: 1509-1516. *Call Number:1319*
- García,J.T.; Morales,M.B. & Hernández,E. (2008) Probable second brooding in the black-shouldered kite (*Elanus caeruleus*) in central Spain *Journal of Raptor Research*, (42) 69-70. *Call Number: 1383*
- García,J.T.; Suárez,F.; Garza,V.; Calero-Riestra,M.; Hernández,J. & Pérez-Tris,J. (2008) Genetic and phenotypic variation among geographically isolated populations of the globally threatened Dupont's lark *Chersophilus duponti*. *Molecular Phylogenetics and Evolution*, 46: 237-251. *Call Number: 1496*
- García,J.T.; Suárez,F.; Garza,V.; Justribó,J.; Oñate,J.J.; Hervás,I.; Calero,M. & García de la Morena,E.L. (2008) Assessing the distribution, habitat, and population size of the threatened Dupont's lark *Chersophilus duponti* in Morocco: Lesson for conservation. *Oryx*, 42: (4) 592-599. *Call Number: 1418*
- García-Fernández,C.; Ruiz Pérez,M. & Wunder,S. (2008) Is multiple-use forest management widely implementable in the tropics? *Forest Ecology and Management*, 256: 1468-1476. *Call Number: 1318*

- García-Llorente,M.; Martín-López,B.; González,J.A.; Alcorlo,P. & Montes,C. (2008) Social perceptions of the impacts and benefits of invasive alien species: Implications for management. *Biol.Conserv.*, 141: 2969-2983. *Call Number: 1300*
- González,J.A.; Montes,C.; Rodríguez,J. & Tapia,W. (2008) Rethinking the Galapagos Islands as a Complex Social_Ecological System: Implications for Conservation and Management: *Ecology and Society*, 13: (2) 13. *Call Number: 1323*
- González,J.A.; Montes,C.; Santos,I. & Monedero,C. (2008) Invirtiendo en capital natural: un marco para integrar la sostenibilidad ambiental en las políticas de cooperación. *Ecosistemas*, 17: (2) 52-69.
- Kleyer,M.; Bekler,R.M.; Knevel,I.C.; Thompson,K.; Sonnenschein,M. & Peco,B. (2008) The LEDA traitbase: a database of life-history traits of the Northwest European Flora. *Journal of Ecology*, 96: 1266-1274.
- Kusters,K.; Ruiz Pérez,M.; Foresta de,H.; Dietz,T.; Ros-Tonen,M.; Belcher,B.; Manalu,P.; Nawir,A. & Wollenberg,E. (2008) Will Agroforests Vanish? The Case of Damar Agroforests in Indonesia. *Human Ecology*, 36: 357-370.
- Lomas,P.L.; Álvarez,S.; Rodríguez,M. & Montes,C. (2008) Environmental accounting for management in a Mediterranean context. Spanish economy during last 20 years. *Journal of Environmental Management*, 88: 326-347. *Call Number: 1306*
- Martín-López,B.; Montes,C. & Benayas,J. (2008) Economic valuation of biodiversity conservation: the meaning of numbers. *Conservation Biology*, 22: (3) 624-635.
- Mata,C.; Hervás,I.; Herranz,J.; Suárez,F. & Malo,J.E. (2008) Are motorway wildlife passages worth building? Vertebrate use of road-crossing structures on a Spanish motorway. *Journal of Environmental Management*, (88) 407-415. *Call Number: 1453*
- Mertens,B.; Liu,H.; Belcher,B.; Ruiz-Pérez,M.; Fu,M. & Yang,X. (2008) Spatial patterns and processes of bamboo expansion in Southern China. *Applied Geography*, 28: 16-31. *Call Number: 1320*
- Morales,M.B.; García de la Morena,E.L.; Delgado,M.P. & Traba,J. (2008) Tendencia reciente y viabilidad futura de las poblaciones de sisón común (*Tetrax tetrax*) en la Comunidad de Madrid. *Anuario Ornitológico de Madrid*, 11: 40-55. *Call Number: 1364*
- Morales,M.B.; Traba,J.; Carriles,E.; Delgado,M.P. & García de la Morena,E.L. (2008) Sexual differences in microhabitat selection of breeding little bustards *Tetrax tetrax*: Ecological segregation based on cegetation structure. *Acta Oecologica*, 34: 345-353.
- Palomino,D.; Seoane,J.; Carrascal,M.L. & Alonso,C.L. (2008) Competing effects of topographic, lithological, vegetation structure and human impact in the habitat preferences of the Cream-coloured Courser. *Journal of Arid Environments*, 72: 401-410. *Call Number: 1423*
- Ponjoan,A.; Bota,G.; García de la Morena,E.L.; Morales,M.B.; Wolff,A.; Marco,I. & Mañosa,S. (2008) Adverse effects of capture and handling little bustard. *Journal of Wildlife Management*, 71: 315-319.
- Rodriguez,P. & Rico,E. (2008) A New freshwater oligochaete species (Clitellata: Enchytraeidae) from Livingston Island, Antarctica. *Polar Biol*, 31: 1267-1279.
- Rodríguez-Pérez,H. & Baltanás,A. (2008) Ecology and production of *Heterocypris exigua* and *Plesiocypris newtoni* (Crustacea, Ostracoada) in an oligohaline hypertrophic shallow lake. *Fundamental and Applied Limnology. Archiv für Hydrobiologie*, 172: (1) 13-26. *Call Number: 1394*
- Rossi,V.; Piotti,A.; Baltanás,A.; Benassi,G. & Menozzi,P. (2008) Genetic diversity and mixed reproduction in *Eucypris virens* (Crustacea: Ostracoda). *Fundamental and Applied Limnology. Archiv für Hydrobiologie*, 172: (2) 147-159. *Call Number: 1395*

- Sastre,S.; Peguero,G.; Lomas,P.L. & Di Donato,M. (2008) Crítica y perspectivas de los AGRO(bio)combustibles: el caso de Cataluña en el contexto español. *Dossier CIP-Ecosocial. Sostenibilidad*, 1: 1-17. *Call Number:1329*
- Seoane,J.& Carrascal,M.L. (2008) Interspecific differences in population trends of Spanish birds are related to habitat and climatic preferences. *Global Ecology and Biogeography*, 17: 111-121. *Call Number:1424*
- Suárez,F.; Pozo,R.; García,J.T. & Justribó,J. (2008) Differential use of home range by Dupont's lark *Chersophilus duponti* in relation to cereal fields during the post-moulting period. *Ardeola*, 55: 97-102. *Call Number: 1543*
- Suárez-Seoane,S.; García de la Morena,E.L.; Morales,M.B.; Osborne,P.E. & de Juana,E. (2008) Maximum entropy niche-based modelling of seasonal changes in little bustard (*Tetrax tetrax*) distribution. *Ecological Modelling*, 219: 17-29. *Call Number: 1384*
- Traba,J.; Morales,M.B.; García de la Morena,E.L.; Delgado,M.P. & Kristín,A. (2008) Selection of breeding territory by little bustard (*Tetrax tetrax*) males in Central Spain: the role of arthropod availability. *Ecological Research*, 23: 615-622. *Call Number: 1381*

[\(Inicio\)](#)

(2007)

- Azcárate,F.M.; Kovacs,E. & Peco,B. (2007) Microclimatic conditions regulate surface activity in harvester ants *Messor barbarus*. *Journal of Insect Behaviour*, 20: 315-329. ISSN/ISBN: 0892-7553. *Call Number: 1457*
- Azcárate,F.M.& Peco,B. (2007) Harvester ants (*Messor barbarus*) as disturbance agents in Mediterranean grasslands. *Journal of Vegetation Science*, 18: 103-110. ISSN/ISBN: 1100-9233. *Call Number: 1455*
- Baltanás,A.; Zabal-Aguirre,M.; Pita,M. & López-Fernández,C. (2007) *Wolbachia* identified in a new crustacean host: an explanation of the prevalence of asexual reproduction in non-marine ostracods? *Fundamental and Applied Limnology. Archiv für Hydrobiologie*, 169: (3) 217-221. *Call Number: 1397*
- Fernández-Valiente,E.; Camacho,A.; Rochera,C.; Rico,E.; Vincet,W.F. & Quesada,A. (2007) Community structure and physiological characterization of microbial mats in Byers Peninsula, Livingston Island (South Shetland Islands, Antarctica). *FEMS Microbiology Ecology*, 59: 377-385.
- García de la Morena,E.L.; Morales,M.B.; de Juana,E. & Suárez,F. (2007) Surveys of wintering Little Bustards *Tetrax tetrax* in central Spain: distribution and population estimates at a regional scale. *Bird Conservation International*, 17: 23-34. *Call Number: 1378*
- Lomas,P.L.; Di Donato,M. & Ulgiati,S. (2007) La síntesis emergética: una valoración de los servicios de los ecosistemas con base termodinámica. *Ecosistemas*, 16: (3) 37-45.
- López-Archilla,A.I.; Moreira,D.; Velasco,S. & López-García,P. (2007) Archaeal and bacterial community composition of a pristine coastal aquifer in Doñana National Park, Spain. *Aquatic Microbial Ecology*, 47: 123-139. *Call Number: 1385*
- López-Fernández,C.; Baltanás,A.; de la Torre,J. & Gosálvez,J. (2007) *Drosophila melanogaster* and *Eucypris virens* giant spermatozoa as visualized by cell inclusion in microgels. *Journal of Experimental Zoology*, 307: (A) 140-144. *Call Number: 1396*
- Martín-López,B.; González,J.A.; Díaz,S.; Castro,I. & García-Llorente,M. (2007) Biodiversidad y bienestar humano: el papel de la diversidad funcional. *Ecosistemas*, 16: (3) 68-79. *Call Number: 1313*

- Martín-López,B.; Montes,C. & Benayas,J. (2007) The non economic motives behind the Willingness to Pay for Biodiversity Conservation. *Biological Conservation*, 139: (1-2) 67-82. *Call Number: 1307*
- Martín-López,B.; Montes,C. & Benayas,J. (2007) Influence of user characteristics on valuation of ecosystem services in Doñana Natural Protected Area (south-west Spain). *Environmental Conservation*, 34: (3) 215-224. *Call Number: 1311*
- Oñate,J.J.; Atance,I.; Bardají,I. & Llusia,D. (2007) Modelling the effects of alternative CAP policies for the Spanish high-mature value creal-steppe farming systems. *Agricultural Systems*, 94: 247-260.
- Pablos de,I.& Peco,B. (2007) Diaspore morphology and the potential for attachment to animal coats in Mediterranean species: an experiment with sheep and cattle coats. *Seed Science Research*, 17: 109-114.
- Rodríguez,J.P.; Brotons,L.; Bustamante,J. & Seoane,J. (2007) The application of predictive modelling of species distribution to biodiversity conservation. *Diversity and Distributions*, 13: 243-251. *Call Number: 1426*
- Ruiz-Pérez,M.; García Fernández,C. & Sayer,J.A. (2007) Los servicios ambientales de los bosques. *Ecosistemas*, 16: (3) 81-90.
- Sánchez,A.M.& Peco,B. (2007) Lack of recruitment in *Lavandula stoechas* subsp. *pedunculata*: A case of seed-seedling conflict. *Acta Oecologica*, 31: (1) 32-39. *Call Number: 1325*
- Sayer,J.; Campbell,B.; Petheram,L.; Aldrich,M.; Ruiz-Pérez,M.; Endamana,D.; Nzooch Dongmo,Z.; Defo,L.; Mariki,S.; Doggart,N. & Burgess,N. (2007) Assessing environment and development outcomes in conservation landscapes *Biodiversity and Conservation*, 16: (9) 2677-2694. *Call Number: 1346*
- Toro,M.; Camacho,A.; Rochera,C.; Rico,E.; Bañón,M.; Fernández-Valiente,E.; Marco,E.; Justel,A.; Avendaño,M.C.; Ariosa,Y.; Vincet,W.F. & Quesada,A. (2007) Limnological characteristics of the freshwater ecosystems of Byers Peninsula, Livingston Island, in maritime Antarctica. *Polar Biol*, 30: 635-649.
- Traba,J.; García de la Morena,E.L.; Morales,M.B. & Suárez,F. (2007) Determining high value areas for steppe birds in Spain: hot spots, complementarity and the efficiency of protected areas. *Biodiversity and Conservation*, 16: 3255-3275.
- Villanúa,D.; Casas,F.; Viñuela,J.; Gortázar,C.; García de la Morena,E.L. & Morales,M.B. (2007) First occurrence of *Eucoleus contortus* in a little bustard *Tetrax tetrax*: negative effect of red-legged partridge *Alectoris rufa* on steppe bird conservation? *The Ibis*, 149: 405-406. *Call Number: 1380*

[\(Inicio\)](#)

[\(2006\)](#)

- Arrieta,S. & Suárez,F. (2006.) Scots pine (*Pinus sylvestris* L.) plantations contribute to the regeneration of holly (*Ilex aquifolium* L.) in Mediterranean Central Spain. *European Journal of Forest Research*, 125: 271-279. *Call Number: 1544*
- Acebes,P.; Ovejero,R. & Traba,J. (2006) Guanacos in desert areas. *Camelidae. Official Newsletter*, 3: 10-11. *Call Number: 1595*
- Alcorlo,P.; Otero,M.; Crehuet,M.; Baltanás,A. & Montes,C. (2006) The use of the red swamp crayfish (*Procambarus clarkii*, Girard) as indicator of the bioavailability of heavy metals in environmental monitoring in the River Guadiamar (SW, Spain). *SciTotenv*, 366: 380-390. *Call Number: 1302*

- Álvarez-Cobelas,M.; Baltanás,A.; Velasco,J.L. & Rojo,C. (2006) Zooplankton dynamics during autumn circulation in a small, win-sheltered, Mediterranean lake. *Marine and Freshwater Research*, 57: 441-452. *Call Number: 1398*
- Álvarez-Cobelas,M.; Rojo,C.; Velasco,J.L. & Baltanás,A. (2006) Factors controlling planktonic size spectral responses to autumnal circulation in a Mediterranean lake. *Freshwater Biology*, 51: 131-143. *Call Number: 1399*
- Arce,J.A.; Alonso,F.; Rico,E. & Camacho,A. (2006) A study on the possible effect of two crayfish species on epilithic algae in a mountain stream from Central Spain. *Bull. Fr. Peche Piscic*, 380-381: 1133-1144.
- Arrieta,S.& Suárez,F. (2006) Marginal holly (*Ilex aquifolium* L.) populations in Mediterranean central Spain are constrained by a low-seedling recruitment. *Flora*, 201: 152-160. *Call Number: 1497*
- Azcárate,F.M. & Peco,B. (2006) Effects of seed predation by ants on Mediterranean grassland related to seed size. *Journal of Vegetation Science*, 17: 353-360. ISSN/ISBN: 1100-9233. *Call Number: 1454*
- Bordallo,A. & Casado,C. (2012) Aproximación al establecimiento de una red de referencia para la implantación de la Directiva Marco del Agua en la Comunidad de Madrid. *Limnetica*, 31: (1) 1-12. *Call Number: 1696*
- Calero,M.; García,J.T.; Garza,V. & Suárez,F. (2006) Does aridity determine rates of haematozoic infestation in Dupont's Lark? A comparative study in Spain and Morocco. *Journal of Ornithology*, 147: (5) 145-Suppl. 1. *Call Number: 1545*
- Carrascal,L.M.; Seoane,J.; Palomino,D. & Alonso,C.L. (2006) Preferencias de hábitat, estima y tendencias poblacionales de la avutarda hubara *Chlamydotis undulata* en Lanzarote y la Graciosa (Islas Canarias). *Ardeola*, 53: (2) 251-269. *Call Number: 1427*
- García,J.T.; Garza,V. & Suárez,F. (2006) How does Dupont's Lark cope with seasonality? A morphometric comparison of two populations. *Journal of Ornithology*, 147: (5) 170-Suppl. 1. *Call Number: 1546*
- García,J.T.; Morales,M.B.; Martínez,J.; Iglesias,L.; García de la Morena,E.L.; Suárez,F. & Viñuela,J. (2006) Foraging activity and use of space by Lesser Kestrel *Falco naumanni* in relation to agrarian management in central Spain. *Bird Conservation International*, 16: 83-95. *Call Number: 1376*
- Garza,V.; García,J.T.; Calero,M. & Suárez,F. (2006) Tendencias y situación actual de las poblaciones de la Alondra Ricotí *Chersophilus duponti* en Andalucía, España. *Ecología*, 20: 233-244. *Call Number: 1499*
- Kusters,K.; Achdiawan,R.; Belcher,B. & Ruiz-Pérez,M. (2006) Balancing Conservation and Development? An Assessment of Livelihood and Environmental Outcomes of Non-Timber Forest Product Trade in Asia, Africa and Latin America. *Ecology and Society*, 11: (2) 1-22. *Call Number: 1590*
- Manzano,P. & Malo,J.E. (2006) Extreme long-distance seed dispersal via sheep. *Frontiers in Ecology and the Environment*, 4: 244-248. *Call Number: 1336*
- Martin-Vivaldi,M.; Garza,V.; Laiolo,P.; García,J.T.; Tella,J.L.; Suárez,F.; Soler,M.; Garzón,J.; Marín,J.M.; López,E.; Pérez-Contreras,J.; Archilla,F. & de Manuel,L.C. (2006) Determinación del área de distribución de la alondra de Dupont (*Chersophilus duponti*) en la población de El Padul (Granada). *Acta Granatense*, 4/5: 3-16. ISSN/ISBN: 1695-6370. *Call Number: 1490*
- Mollá,S.; Robles,S. & Casado,C. (2006) Seasonal Variability of Particulate Organic Matter in a Mountain Stream in Central Spain. *International Review of Hidrobiology*, 5: 406-422. *Call Number: 1719*
- Oñate,J.J. (2006) Reforma de la PAC i els seus efectes en la natura mediterrània. *dCIDOB*, Invierno 2005-2006: 14-18. *Call Number: 1441*

- Peco,B.; López-Merino,L. & Alvir,M. (2006) Survival and germination of Mediterranean grassland species after simulated sheep ingestion: ecological correlates with seed traits. *Acta Oecologica*, 30: 269-275. *Call Number: 1465*
- Peco,B.; Sánchez,A.M. & Azcárate,F.M. (2006) Abandonment in grazing systems: consequences for vegetation and soil. *Agriculture, Ecosystems and Environment*, 113: 284-294. *Call Number: 1326*
- Ruiz-Pérez,M.; Ezzine de Blas,D.; Nasi,R.; Sayer,J.; Karsenty,A.; Sassen,M.; Angoué,C.; Gami,N.; Ndoye,O.; Ngonu,G.; Nguinguiri,J.C.; Nzala,D.; Toirambe,B. & Yalibanda,Y. (2006) Socioeconomic constraints, environmental impacts and drivers of change in the Congo Basin as perceived by logging companies. *Environmental Conservation*, 33: (4) 316-324. *Call Number: 1347*
- Suárez,F.; García,J.T.; Sampietro,F.J. & Garza,V. (2006) The non-breeding distribution of Dupont's Lark *Chersophilus duponti* in Spain. *Bird Conservation International*, 16: 317-323. *Call Number: 1486*
- Traba,J.; Arrieta,S.; Herranz,J. & Clamagirand,M.C. (2006) Red fox (*Vulpes vulpes* L.) favour seed dispersal, germination and seedling survival of Mediterranean Hackberry (*Celtis australis* L.). *Acta Oecologica*, 30: 39-45. *Call Number: 1728*
- Traba,J.; Azcárate,F.M. & Peco,B. (2006) The fate of seeds in Mediterranean soil seed banks in relation to their traits. *Journal of Vegetation Science*, 17: 5-10. ISSN/ISBN: 1100-9233. *Call Number: 1461*
- Wiederholt,R.; García,J.T.; Garza,V. & Suárez,F. (2006) Sexual selection in Larks: The importance of white spots in the tail of Dupont's Lark. *Journal of Ornithology*, 147: (5) 271-Suppl. 1. *Call Number: 1547*

[\(Inicio\)](#)

(2005)

- Álvarez-Cobelas,M.; Velasco,J.L.; Valladolid,M.; Baltanás,A. & Rojo,C. (2005) Daily patterns of mixing and nutrient concentrations during early autumn circulation in a small sheltered lake. *Freshwater Biology*, 50: 813-829. *Call Number: 1400*
- Andrés Abellán,M.; Benayas,J.; Landete Castillejos,T.; López Serrano,F.R.; García Morote,A. & Cerro Barja del,A. (2005) Impacts of visitors on soil and vegetation of the recreational area "Nacimiento del río Mundo" (Castilla-La Mancha, Spain). *Environmental Monitoring and Assess*, 101: 55-67. *Call Number: 1333*
- Arrieta,S. & Suárez,F. (2005) Spatial dynamics of *Ilex aquifolium* populations seed dispersal and seed bank: understanding the first steps of regeneration. *Forest Ecology and Management*, 177: 237-248. *Call Number: 1489*
- Arrieta,S. & Suárez,F. (2005) Spatial patterns of seedling emergence and survival as a critical phase in holly (*Ilex aquifolium* L.) woodland recruitment in Central Spain. *Forest Ecology and Management*, 205: 267-282. *Call Number: 1492*
- Azcárate,F.M.; Arqueros,L.; Sánchez,A.M. & Peco,B. (2005) Seed and fruit selection by harvester ants *Messor barbarus* in Mediterranean grassland and scrubland. *Functional Ecology*, 19: 273-283. ISSN/ISBN: 0269-8463. *Call Number: 1456*
- Baltanás,A.; Alcorlo,P. & Namiotko,T. (2005) Ostrácodos (Crustacea, Ostracoda) del yacimiento pleistoceno de Ambrona. *Zona Arqueológica*, 5: 3-10.
- Belcher,B.; Michon,G.; Angelsen,A.; Ruiz-Pérez,M. & Absjornsen,H. (2005) The socio-economic conditions determining the development, persistence and decline of forest garden systems. *Economic Botany*, 59: (3) 245-253. *Call Number: 1350*

- Belcher,B.; Ruiz-Pérez,M. & Achdiawan,R. (2005) Global patterns and trends in the use and management of NTFPs: implications for livelihoods and conservation. *World Development*, 33: (9) 1435-1452. *Call Number: 1321*
- Garza,V.; Suárez,F.; Herranz,J.; Traba,J.; García de la Morena,E.L.; Morales,M.B.; González,R. & Castañeda,M. (2005) Home range, territoriality and habitat selection by the Dupont's lark *Chersophilus duponti* in the breeding and postbreeding periods. *Ardeola*, 53: (1) 133-146.
- Geiger,W.; Alcorlo,P.; Baltanás,A. & Montes,C. (2005) Impact of an introduced Crustacean on the trophic webs of Mediterranean wetlands. *Biological Invasions*, 7: 49-73. *Call Number: 1304*
- Hodgson,J.G.; Montserrat-Martí,G.; Cerabolini,B.; Ceriani,R.M.; Maestro-Martínez,M.; Peco,B. & y otros (2005) A functional method for classifying European grasslands for use in joint ecological and economic studies. *Basic and Applied Ecology*, 6: 119-131.
- Llusia,D.& Oñate,J.J. (2005) Are the conservation requirements of pseudo-steppe birds adequately covered by Spanish agri-environmental schemes? An ex-ante assessment. *Ardeola*, 52: 31-42.
- Manzano,P.; Malo,J.E. & Peco,B. (2005) Sheep gut passage and survival of Mediterranean shrub seeds. *Seed Science Research*, 15: 21-28.
- Mata,C.; Hervás,I.; Herranz,J.; Suárez,F. & Malo,J.E. (2005) Complementary use by vertebrates of crossing structures along a fenced Spanish motorway. *Biological Conservation*, 124: 397-405. *Call Number: 1495*
- Morales,M.B.; Bretagnolle,V. & Arroyo,B. (2005) Viability of the endangered Little bustard *Tetrax tetrax* population of western France. *Biodiversity and Conservation*, 14: 3135-3150.
- Morales,M.B.; García,J.T. & Arroyo,B. (2005) Can landscape composition changes predict spatial and annual variation of little bustard male abundance? *Animal Conservation*, 8: 167-174.
- Oñate,J.J. (2005) High Nature Value farming systems in Spain: experience and future prospects. *La Cañada*, (19) 5-7. *Call Number: 1438*
- Oñate,J.J.& Peco,B. (2005) Policy impact on desertification: Stakeholders' perceptions in southeast Spain. *Land Use Policy*, 22: 103-114.
- Peco,B.; de Pablos,I.; Traba,J. & Levassor,C. (2005) The effect of grazing abandonment on species composition and functional traits: the case of dehesa. *Basic and Applied Ecology*, 6: 175-183. *Call Number: 1324*
- Ruiz-Pérez,M.; Almeida,M.; Dewi,S.; Costa,E.; Pantoja,M.; Puntodewo,A.; Postigo,A. & Andrade,A. (2005) Conservation and development in Amazonian Extractive Reserves: The case of Alto Juruá. *Ambio*, 34: (3) 218-223. *Call Number: 1592*
- Ruiz-Pérez,M.; Ezzine de Blas,D.; Nasi,R.; Sayer,J.A.; Sassen,M.; Angoué,C.; Gami,R.; Ndoye,O.; Ngono,G.; Nguingui,J.C.; Nazla,D.; Toirambe,B. & Yalibanda,I. (2005) Logging in the Congo Basin: A multi-country characterization of timber companies. *Forest Ecology and Management*, 214: 221-236. *Call Number: 1322*
- Sánchez,A.M.; Azcárate,F.M. & Peco,B. (2005) Effects of harvester ants on seed availability and dispersal of *Lavandula stoechas* subsp. *pedunculata* in a Mediterranean grassland-scrubland mosaic. *Plant Ecology*, 185: 49-56. ISSN/ISBN: 1385-0237. *Call Number: 1459*
- Seoane,J.; Carrascal,L.M.; Alonso,C.L. & Palomino,D. (2005) Species-specific traits associated to prediction errors in bird habitat suitability modelling. *Ecological Modelling*, 185: 299-308. *Call Number: 1425*
- Suárez,F.; Herranz,J.; Yanes,M.; Sánchez,A.M.; García,J.T. & Manrique,J. (2005) Seasonal and interannual variability in laying date, clutch size, egg volume and hatching asynchrony of four lark species in Mediterranean Spain. *Ardeola*, 52: 103-118. *Call Number: 1551*
- Suárez,F.; Morales,M.B.; Mínguez,I. & Herranz,J. (2005) Seasonal variation in nest mass and dimensions in an open-cup ground-nesting shrub-steppe passerine: The tawny pipit *Anthus campestris*. *Ardeola*, 53: (1) 43-52. *Call Number: 1372*

- Suárez,F.; Sánchez,A.M.; Herranz,J.; Traba,J. & Yanes,M. (2005) Parental body mass changes during the nesting stage in two Lark species in a semi-arid habitat. *Journal of Arid Environments*, 62: 45-54. *Call Number: 1491*
- Suárez,F.; Traba,J. & Herranz,J. (2005) Body mass changes in female tawny pipits *Anthus campestris* during the nesting stage. *Journal of Ornithology*, 146: 372-376. *Call Number: 1494*
- Tejedo,P.; Justel,A.; Rico,E.; Benayas,J. & Quesada,A. (2005) Measuring Impacts on Soils by Human Activity in an Antarctic Special Protected Area. *Terra Antarctica Reports*, 11: 57-62. *Call Number: 1310*
- Valladares,L.F.; Arrieta,S.; Aranda,I.; Lorenzo,D.; Sánchez-Gómez,D.; Tena,D.; Suárez,F. & Pardos,J.A. (2005) Shade tolerance, photoinhibition sensitivity and phenotypic plasticity of *Ilex aquifolium* in continental Mediterranean sites. *Tree Physiology*, 25: 1041-1052. *Call Number: 1498*
- Zhou,B.; Fu,M.; Li,Z.; Xie,J.; Ruiz-Pérez,M.; Belcher,B.; Yang,X. & Wu,M. (2005) Plant species diversity of natural secondary forest community in Northwest Zhejiang. *Linye Kexue Yanjiu, Forest Research*, 18: (4) 406-411. *Call Number: 1352*

[\(Inicio\)](#)

(2004)

- Alcorlo,P. (2004) Las Redes tróficas en lagunas salinas temporales de la comarca de Los Monegros (Zaragoza, España). *Ecosistemas*, 2: 1-6. *Call Number: 1360*
- Alcorlo,P.; Geiger,W. & Otero,M. (2004) Feeding preferences and food selection of the red swamp crayfish, *Procambarus clarkii*, in habitats differing in food iten diversity. *Crustacema*, 77: (4) 435-453.
- Arrieta,S. & Suárez,F. (2004) Germination and seed bank depletion of holly (*Ilex aquifolium* L.) in four microhabitat types. *Seed Science Research*, 14: 305-313. *Call Number: 1493*
- Bautista,L.M.; García,J.T.; Calmaestra,R.G.; Palacin,C.; Martín,C.A.; Morales,M.B.; Bonal,R. & Viñuela,J. (2004) Effect of weekend road traffic on the use of space by raptors. *Conservation Biology*, 18: (3) 726-732.
- Herranz,J.; Traba,J.; Morales,M.B. & Suárez,F. (2004) Nest size and structure variation in two ground nesting passerines, the skylark *Alauda arvensis* and the short-toed lark *Calandrella Brachydactyla*. 92: 209-218. *Call Number: 1371*
- López-Archilla,A.I.; Gérrar,E.; Moreira,D. & López-García,P. (2004) Macrofilamentous microbial communities in the metal-rich and acidi River Tinto, Spain. *FEMS Microbiology Letters*, 235: 221-228. *Call Number: 1388*
- López-Archilla,A.I.; González,A.E.; Terrón,M.C. & Amils,R. (2004) Ecological study of the fungal populations of the acidic Tinto River in southwestern Sapin. *Can. J. Microbiol.*, 50: 923-934. *Call Number: 1386*
- López-Archilla,A.I.; Mollá,S.; Coletto,M.C.; Guerrero,M.C. & Montes,C. (2004) Ecosystem metabolism in a Mediterranean shallow lake (Laguna de Santa Olalla, Doñana National Park, SW Spain). *Wetlands*, 24: (4) 848-858. *Call Number: 1391*
- López-Archilla,A.I.; Moreira,D.; López García,P. & Guerrero,M.C. (2004) Phytoplankton diversity and cyanobacterial dominance in a hypereutrophic shallow lake with biologically produced alkaline pH. *Extremophiles*, 8: 109-115. *Call Number: 1387*
- Malo,J.E. (2004) Potential ballistic dispersal of *Cytisus scoparius* (Fabaceae) seeds. *Australian Journal of Botany*, 52: 653-658. *Call Number:1335*

- Malo, J.E.; Suárez, F. & Díez, A. (2004) Can we mitigate animal-vehicle accidents using predictive models? *J. Appl. Ecol.*, 41: 701-710. *Call Number: 1273*
- Ruiz-Pérez, M.; Belcher, B.; Fu, M. & Yang, X. (2004) Looking through the bamboo curtain: an analysis of the changing role of forest and farm income rural livelihoods in China. *International Forestry Review*, 6: (3-4) 306-316. *Call Number: 1348*
- Ruiz-Pérez, M.; Ezzine de Blas, D.; Nasi, R.; Sassen, M.; Sayer, J.; Angoué, C.; Gami, I.; Ndoye, O.; Ngono, G.; Nguinguiri, J.; Nzala, D.; Toirambe, B. & Yalibanda, Y. (2004) Who is logging the Congo? *ITTO Tropical Forest Update*, 14: (4) 3-6. *Call Number: 1355*
- Ruiz-Pérez, M.; Ezzine de Blas, D.; Nasi, R.; Sassen, M.; Sayer, J.; Angoué, C.; Gami, I.; Ndoye, O.; Ngono, G.; Nguinguiri, J.; Nzala, D.; Toirambe, B. & Yalibanda, Y. (2004) Qui exploite les forêts congolaises? *OIBT Tropical Forest Update*, 12: (4) 3-6. *Call Number: 1356*
- Ruiz-Pérez, M.; Fu, M.; Xie, J.; Yang, X. & Belcher, B. (2004) The relationship between forest research and forest management in China: an analysis of four leading Chinese forestry journals. *International Forestry Review*, 6: (3-4) 341-345. *Call Number: 1357*
- Ruiz-Pérez, M. & y 29 autores más (2004) Markets drive the specialization strategies of forest peoples. *Ecology and Society*, 9: 25. *Call Number: 1272*
- Sánchez, A.M. & Peco, B. (2004) Interference between perennial grassland and *Lavandula stoechas* subsp. *pendunculata* seedlings: a case of spatial segregation caused by competition. *Acta Oecologica*, 26: 39-44. *Call Number: 1464*
- Suárez, F.; Garza, V.; Oñate, J.J.; García de la Morena, E.L.; Ramírez, A. & Morales, M.B. (2004) Adequacy of winter stubble maintenance for steppe passerine conservation in central Spain. *Agriculture, Ecosystems and Environment*, 104: 667-671. *Call Number: 1370*
- Traba, J.; Azcárate, F.M. & Peco, B. (2004) From what depth do seeds emerge? A soil seed bank function experiment in mediterranean grasslands. *Seed Science Research*, (14) 297-303. ISSN/ISBN: 0960-2585. *Call Number: 1460*
- Vázquez, G.; Favila, M.E.M., R.; Montes, C.; Baltanás, A. & Bravo, M.A. (2004) Limnology of crater lakes in Los Tuxtlas, Mexico. *Hydrobiologia*, 523: 59-70. *Call Number: 1402*

[\(Inicio\)](#)

(2003)

- Azcárate, F.M. & Peco, B. (2003) Spatial patterns of seed predation by harvester ants (*Messor Forel*) in Mediterranean grassland and scrubland. *Insectes Soc.*, 50: 120-126. *Call Number: 1248*
- Baltanás, A.; Brauneis, W.; Danielopol, D.L. & Linhart, J. (2003) Morphometric methods for applied ostracodology: tools for outline analysis of nonmarine ostracodes. *Paleontological Society Papers*, 9: 101-118. *Call Number: 1403*
- García-Fernández, C.; Casado, M.A. & Ruiz-Pérez, M. (2003) Benzoin gradens in North Sumatra, Indonesia: Effects of management on tree diversity. *Conserv. Biol.*, 17: 829-836. *Call Number: 1252*
- Garza, V.; Traba, J. & Suárez, F. (2003) Is the European population of Dupont's Lark *Chersophilus duponti* adequately estimated? *Bir Study*, 50: 309-311. *Call Number: 1488*
- Gutiérrez, A. & Peco, B. (2003) Modelling oldfield species richness in a mountain area. *Plant Ecology*, 166: 249-261. *Call Number: 1247*
- Martínez, R.; Rico, E. & Alonso, F. (2003) Characterisation of *Austropotamobius italicus* (Faxon, 1914) populations in a Central Spain area. *Bull. Fr. Peche Piscic.*, 370-371: 43-56.

- Morales,M.B.; Alonso,J.C.; Martín,C.; Martín,E. & Alonso,J. (2003) Male sexual display and attractiveness in the great bustard *Otis tarda*: the role of body condition. *J.Ethol.*, 21: 51-56. *Call Number: 1243*
- Oñate,J.J.; Pereira,D. & Suárez,F. (2003) Strategic environmental assessment of the effects of European Union's Regional Development Plans in Doñana National Park (Spain). *Environ.Manage.*, 31: 642-655. *Call Number: 1249*
- Peco,B.; Traba,J.; Levassor,C.; Sánchez,A.M. & Azcárate,F.M. (2003) Seed size, shape and persistence in dry Mediterranean grass and scrublands. *Seed Science Research*, 13: 87-95. *Call Number: 1242*
- Primdahl,J.; Peco,B.; Schramek,J.; Andersen,E. & Oñate,J.J. (2003) Environmental effects of agri-environmental schemes in Western Europe. *Journal of Environmental Management*, 67: 129-138. *Call Number: 1443*
- Suárez,F.; Garza,V. & Morales,M.B. (2003) The role of extensive cereal crops, dry pasture and shrub-steppe in determining skylark *Alauda arvensis* densities in the Iberian Peninsula. *Agriculture, Ecosystems and Environment*, 95: 551-557. *Call Number: 1240*
- Suárez,F.; Traba,J.; Morales,M.B.; Arrieta,S.; Herranz,J. & Oñate,J.J. (2003) Aves y evaluación de impacto ambiental: ¿Estamos identificando el problema correctamente? *Ardeola*, 50: (2) 295-300.
- Traba,J.; Levassor,C. & Peco,B. (2003) Restoration of species richness in abandoned Mediterranean grasslands: Seeds in Cattle Dung. *Restoration Ecology*, 11: (3) 378-384. *Call Number: 1462*
- Álvarez-Cobelas,M.; Baltanás,A.; Velasco,J.L. & Rojo,C. (2002) Daily variations in the optical properties of a small lake. *Freshwater Biology*, 47: 1051-1063. *Call Number: 1407*
- Azcárate,F.M.; Sánchez,A.M.; Arqueros,L. & Peco,B. (2002) Abundance and habitat segregation in Mediterranean grassland species: the importance of seed weight. *Journal of Vegetation Science*, 13: 159-166. *Call Number: 1228*
- Baltanás,A.; Alcorlo,P. & Danielopol,D. (2002) Morphological disparity in populations with and without sexual reproduction: a case study in *Eucypris virens* (Crustacea: Ostracoda). *Biological Journal of the Linnean Society*, 75: 9-19. *Call Number: 1408*

[\(Inicio\)](#)

(2002)

- Álvarez-Cobelas,M.; Baltanás,A.; Velasco,J.L. & Rojo,C. (2002) Daily variations in the optical properties of a small lake. *Freshwater Biology*, 47: 1051-1063.
- Baltanás,A.; Alcorlo,P. & Danielopol,D.L. (2002) Morphological disparity in populations with and without sexual reproduction: a case study in *Eucypris virens* (Crustacea: Ostracoda). *Biological Journal of the Linnean Society*, 75: 9-19.
- Benayas,J.; Alba,D. & Sánchez,S. (2002) La ambientalización de los campus universitarios: El caso de la Universidad Autónoma de Madrid. *Ecosistemas*, 2002/3: online: (URL: <http://www.aet.org/ecosistemas/023/educativa2.htm>). *Call Number: 1232*
- Campbell,B.; Sayer,J.A.; Frost,P.; Vermeulen,S.; Ruiz-Pérez,M.; Cunningham,A. & Prabhu,R. (2002) Assessing the Performance of Natural Resource Systems. *Conserv.Ecol.*, 5: (2) 22. *Call Number: 1139*
- Danielopol,D.L.; Ito,E.; Wansard,G.; Kamiya,T.; Cronin,T.M. & Baltanás,A. (2002) Techniques for Collection and Study of Ostracoda. *Geophysical Monograph*, 131: 65-97.

- Danielopol,D.L.; Rouch,R. & Baltanás,A. (2002) Taxonomic diversity of groundwater harpacticoida (Copepoda, Crustacea) in Southern France. *Vie Milleu*, 52: (1) 1-15. *Call Number: 1404*
- Herranz,J.; Suárez,F. & Yanes,M. (2002) A low-cost photographic system to identify bird nest predators and its effects on artificial nest predation rates. *Game and Wildlife Science*, 19: 179-195. *Call Number: 1552*
- Herranz,J.; Yanes,M. & Suárez,F. (2002) Does photo-monitoring affect nest predation. *Journal Field Ornithology*, 73: (1) 97-101. *Call Number: 1510*
- Malo,J.E. (2002) Modelling unimodal flowering phenology with exponential sine equations. *Functional Ecology*, 16: 413-418. *Call Number: 1233*
- Malo,J.E.& Baonza,J. (2002) Are there predictable clines in plant-pollinator interactions along altitudinal gradients? The example of *Cytisus scoparius* (L.) Link in the Sierra de Guadarrama (Central Spain). *Divers.Distrib.*, 8: 365-371. *Call Number: 1239*
- Morales,M.B.; Alonso,J.C. & Alonso,J. (2002) Annual productivity and individual female reproductive success in a Great Bustard *Otis tarda* population. *Ibis*, 144: 293-300. *Call Number: 1224*
- Morales,M.B.& Martín,C.A. (2002) *Otis tarda* Great Bustard. *BWP Update*, 4: 217-232. *Call Number: 1245*
- Ruiz-Pérez,M.; Ndoye,O.; Eyebe,A. & Lema,D. (2002) A gender analysis of forest product markets in Cameroon. *Africa Today*, 49: 97-126. *Call Number: 1244*
- Sánchez,A.M.; Azcárate,F.M.; Arqueros,L. & Peco,B. (2002) Volumen y dimensiones como predictores del peso de semilla de especies herbáceas del centro de la Península Ibérica. *Anales del Jardín Botánico de Madrid*, 59: 249-262. *Call Number: 1246*
- Sánchez,A.M. & Peco,B. (2002) Dispersal mechanisms in *Lavandula stoechas* subsp. *pedunculata*: autochory and endozoochory by sheep. *Seed Science Research*, 12: 101-111. *Call Number: 1229*
- Suárez,F.; Garza,V. & Morales,M.B. (2002) Habitat use of two sibling species, the short-toed *Calandrella brachydactyla* and the lesser short-toed *C. rufescens*, in mainland Spain. *Ardeola*, 49: 259-272. *Call Number: 1241*

(Inicio)

(2001)

- Alcorlo,P.; Baltanás,A. & Montes,C. (2001) Food-web structure in two shallow salt lakes in Los Monegros (NE Spain): energetic vs dynamic constrains. *Hydrobiologia*, 466: 307-316. *Call Number: 1409*
- Alonso,J.A.; Martín,C.A.; Alonso,J.C.; Morales,M.B. & Lane,S.J. (2001) Seasonal movements of male Great Bustards in Central Spain. *Journal of Field Ornithology*, 72: 504-508. *Call Number: 1727*
- Álvarez,S.; Rico,E.; Guerrero,M.C. & Montes,C. (2001) Decomposition of *Juncus maritimus* in Two Shallow Lakes of Doñana National Park. *Internat.Rev.Hydrobiol.*, 86: (4-5) 541-554. *Call Number: 1197*
- Arnold,J.E.M. & Ruiz-Pérez,M. (2001) Can non-timber forest products match tropical forest conservation and development objectives? *Ecol.Econ.*, 39: 437-447. *Call Number: 1212*
- Arrieta,S.& Suárez,F. (2001) Seedling diversity and spatially related regeneration dynamics in holly woodlands and surrounding habitats. *Web Ecology*, 2: (on line) URL: <http://www.oikos.ekol.lu.se/we/we2001.html> 38. *Call Number: 1192*

- Baltanás,A. (2001) *Candelacypris* n. gen. (Crustacea, Ostracoda): a new genus Iberian saline lakes, with a redescription of *Eucypris aragonica* Brehm & Margalef, 1948. *Bull. Soc. Nat. Luxemb.*, 101: 183-192. *Call Number: 1410*
- Camacho,A.; Erez,J.; Chicote,A.; Florín,M.; Squires,M.M.; Lehmann,C. & Bachofen,R. (2001) Microbial microstratification, inorganic carbon photoassimilation and dark carbon fixation at the chemocline of the meromictic Lake Cadagno (Switzerland) and its relevance to the food web. *Aquat.Sci.*, 63: 91-106. *Call Number: 1191*
- Gutiérrez-Yurrita,P.J. & Montes,C. (2001) Bioenergetics of juveniles of red swamp crayfish (*Procambarus clarkii*). *Comparative Biochemistry and Physiology Part A.*, 130: (1) 29-38.
- Gutiérrez-Yurrita,P.J. & Montes,C. (2001) Bioenergetics of juveniles of red swamp crayfish (*Procambarus clarkii*). *Bull.N.Am.Benthol.Soc.*, 18: (1) 271.
- Lobo,J.M.; Castro,I. & Moreno,J.C. (2001) Spatial and environmental determinants of vascular plant species richness distribution in the Iberian Peninsula and Balearic Islands. *Biol.J.Linn.Soc.*, 73: 233-253. *Call Number: 1203*
- Malo,J.E.; Leirana-Alcocer,J. & Parra-Tabla,V. (2001) Population fragmentation, florivory, and the effects of flower morphology alterations on the pollination success of *Myrmecophila tibicinis* (Orchidaceae). *Biotropica*, 33: (3) 529-534. *Call Number: 1209*
- Morales,M.B.; Frédéric,J. & Arroyo,B. (2001) Exploded leks: what bustards can teach us. *Ardeola*, 48(1): 85-98. *Call Number: 1193*
- Ruiz-Pérez,M.; Maoyi,F.; Xiaosheng,Y. & Belcher,B. (2001) Bamboo forestry in China: toward environmentally friendly expansion. *J.For.*, 99(7): 14-20. *Call Number: 1196*

(Inicio)

(2000)

- Alonso,J.C.; Morales,M.B. & Alonso,J.A. (2000) Partial migration, and lek and nesting area fidelity in female Great Bustards. *The Condor*, 102: 127-136. *Call Number: 1724*
- Álvarez,S. & Guerrero,M.C. (2000) Enzymatic activities associated with decomposition of particulate organic matter in two shallow ponds. *Soil Biology & Biochemistry*, 32: 1941-1951. *Call Number: 1173*
- Baltanás,A.; Namiotko,T. & Danielopol,D.L. (2000) Biogeography and disparity within the genus *Cryptocandona* (Crustacea, Ostracoda). *Vie Milleu*, 50: (4) 297-310. *Call Number: 1412*
- Baltanás,A.; Otero,M.; Arqueros,L.; Rossetti,G. & Rossi,V. (2000) Ontogenetic changes in the carapace shape of the non-marine ostracod *Eucypris viren* (Jurine). *Hydrobiologia*, 419: 65-72. *Call Number: 1413*
- Danielopol,D.L.; Baltanás,A. & Humphreys,W.F. (2000) Danielopolina kornicheri sp. n. (Ostracoda, Thaumatocypridoidea) from a western Australian anchialine cave: morphology and evolution. *Zoologica Scripta*, 29: (1) 1-16. *Call Number: 1411*
- González-Mozo,M.E.; Chicote,A.; Rico,E. & Montes,C. (2000) Limnological characterization of an evaporite karstic lake in Spain (Lake Arreo). *Limnetica*, 18: 91-98.
- Herranz,J.; Yanes,M. & Suárez,F. (2000) Relaciones entre la abundancia de las especies de caza menor, sus depredadores y la estructura del hábitat en Castilla-La Mancha (España). *Ecología*, 14: 219-233. *Call Number: 1190*
- Malo,J.E. (2000) Hardseededness and the accuracy of seed bank estimates obtained through germination. *Web Ecology*, 1: (on line) URL: <http://www.oikos.ekol.lu.se/we/we2000.html>:70. *Call Number: 1176*

- Malo, J.E.; Jiménez, B. & Suárez, F. (2000) Herbivore dunging and endozoochorous seed deposition in a Mediterranean dehesa. *J. Range Manage.*, 53: 322-328. *Call Number: 1177*
- Martín, C.A.; Alonso, J.C.; Alonso, J.A.; Morales, M.B. & Pitra, C. (2000) An approach to sexing young Great Bustards *Otis tarda* using discriminant analysis and molecular techniques. *Bird Study*, 47: 147-153. *Call Number: 1725*
- Merino, S.; Seoane, J.; de la Puente, J. & Bermejo, A. (2000) Low prevalence of infection by haemoparasites in Cettis's warblers *Cettia cetti* from Central Spain. *Ardeola*, 47(2): 269-271. *Call Number: 1188*
- Morales, M.B.; Alonso, J.C.; Alonso, J.A. & Martín, E. (2000) Migration patterns in male Great Bustards (*Otis tarda*). *The Auk*, 117: 493-498. *Call Number: 1726*
- Oñate, J.J.; Andersen, E.; Peco, B. & Primdahl, J. (2000) Agri-environmental schemes and the European agricultural landscapes: the role of indicators as valuing tools for evaluation. *Landscape Ecol.*, 15: 271-280. *Call Number: 1138*
- Ramírez-Sanz, L.; Casado, M.A.; de Miguel, J.M.; Castro, I.; Costa, M. & Pineda, F.D. (2000) Floristic relationship between scrubland and grassland patches in Mediterranean landscape of Iberian Peninsula. *Plant Ecology*, 149: 63-70.
- Robles, S.; Rodríguez, J.M.; Granados, I. & Guerrero, M.C. (2000) Sulfite-reducing clostridia in the sediment of a high mountain lake (Laguna Grande, Gredos, Spain) as indicators of fecal pollution. *International Microbiology*, 3: 187-191. *Call Number: 1155*
- Rohadi, D.; Maryani, R.; Belcher, B.; Ruiz-Pérez, M. & Widnyana, M. (2000) Can Sandalwood in East Nusa Tenggara Survive? Lessons from the policy impact on resource sustainability. *Sandalwood Research Newsletter*, 10: 3-6. ISSN/ISBN: 1321-0022x. *Call Number: 1166*
- Ruiz-Pérez, M.; Ndoye, O.; Eyebe, A. & Puntodewo, A. (2000) Spatial characterisation of non-timber forest products markets in the humid forest zone of Cameroon. *International Forestry Review*, 2: (2) 71-83. *Call Number: 1167*
- San Martín Acevedo, J. & Sánchez, A.M. (2000) Las comunidades relicticas de Gomortega keule (Gomortegaceae, Magnoliopsida) en Chile Central. *Anales del Jardín Botánico de Madrid*, 57(2): 317-326. *Call Number: 1186*

[\(Inicio\)](#)

(1999)

- Alcorlo, P. & Baltanás, A. (1999) Limnología de las lagunas salinas de Los Monegros y caracterización de sus comunidades animales. *Bol. S.E.A.*, 24: 113-120.
- Alcorlo, P.; Baltanás, A. & Arqueros, L. (1999) Intra-clonal shape variability in the non-marine ostracod *Heterocypris barbara* (Crustacea, Ostracoda). *Yerbilimleri (Geosound)*, 35: 1-11.
- Baltanás, A. & Castro, I. (1999) Why Spanish science is at a standstill. *Nature (Correspondence)*, 397: 558.
- Benayas, J. (1999) La relación entre ecología y educación ambiental. *Ecosistemas*, 3: (3) 51-56. *Call Number: 1124*
- Beroiz, B.; Gutiérrez-Yurrita, P.J. & Montes, C. (1999) Energy balance of red swamp crayfish *Procambarus clarkii*, feed on fresh macrophytes under laboratory conditions. *Freshwater Crayfish*, 12: 920-921.
- Blanco, G.; Seoane, J. & de la Puente, J. (1999) Showiness, non-parasitic symbionts, and nutritional condition in a passerine bird. *Ann.Zool.Fennici*, 36: 83-91. *Call Number: 1125*

- García Sánchez-Colomer, M.; Levassor, C. & Rey Benayas, J.M. (1999) Los otros humedales. *Ecosistemas*, Año VIII. No.1: 53-55. *Call Number: 1040*
- Gutiérrez-Yurrita, P.J. & Montes, C. (1999) Bioenergetics and phenology of reproduction of the introduced red swamp crayfish *Procambarus clarkii* in Doñana National Park (Spain), and implications for management. *Freshwat. Biol.*, 42: 561-594.
- Gutiérrez-Yurrita, P.J. & Montes, C. (1999) Population dynamics and phenotypic comparisons among six populations of *Procambarus clarkii* from the Doñana National Park (SW). *Freshwater Crayfish*, 12: 629-642.
- Gutiérrez-Yurrita, P.J. & Montes, C. (1999) Bioenergetics and phenology of the reproduction of the red swamp crayfish (*Procambarus clarkii*) in Doñana National Park, SW-Spain. *Freshwater Crayfish*, 12: 932-933.
- Ndoye, O. & Ruiz-Pérez, M. (1999). Commerce Transfrontalier et Integration Regionale en Afrique Centrale: Cas des Produits Forestiers Non-Ligneux. *Arbres, Forêts et Communautés Rurales*, 17: 4-12.
- Rey Benayas, J.M.; Colomer, M.G.S. & Levassor, C. (1999) Effects of area, environmental status and environmental variation on species richness per unit area in Mediterranean wetlands. *Journal of vegetation science*, 10: 275-280. *Call Number: 1078*
- Rey Benayas, J.M.; Scheiner, S.M.; García Sánchez-Colomer, M. & Levassor, C. (1999) Commonness and rarity: theory and application of a new model to Mediterranean montane grasslands. *Conserv. Ecol.*, 3(1): 32 pp (<http://www.consecol.org/vol3/iss1/art5>). *Call Number: 1044*
- Ruiz-Pérez, M. & Byron, N. (1999) A methodology to analyze divergent case studies of non-timber forest products and their development potential. *Forest Science*, 45(1): 1-14.
- Ruiz-Pérez, M.; Ndoye, O. & Eyebe, A. (1999) Marketing and income generating activities for Non-Timber Forest Products in the Humid Forest Zone of Cameroon. *Unasylva*, 198: 12-19.
- Ruiz-Pérez, M.; Zhong Maogong; Belcher, B.; Xie Chen; Fu Maoyi & Xie Jinzhong. (1999) The role of bamboo plantations in rural development: the case of Anji County, Zhejiang, China. *World Development*, 27(1): 101-104.
- Velasco, J.L.; Araujo, R.; Álvarez, M.; Colomer, M. & Baltanás, A. (1999) Aportación al conocimiento limnológico de ocho lagos y lagunas de montaña de Asturias (España). *Boletín de la Real Sociedad Española Historia Natural (Biol.)*, 95: (1-2) 181-191. *Call Number: 1417*

(Inicio)

(1998)

- Alonso, J.C.; Martín, E.; Alonso, J.A. & Morales, M.B. (1998) Proximate and ultimate causes of natal dispersal in the Great Bustard *Otis tarda*. *Behavioral Ecology*, 9: 243-252. *Call Number: 1723*
- De Miguel, J.M.; Ramírez, L.; Castro, I.; Costa-Tenorio, M.; Casado, M.A. & Pineda, F.D. (1998?) Scales in the relationship plant richness-space organization in Mediterranean grasslands and shrublands. *Journal of Vegetation Science*, *Call Number: 1037*
- De Hoyos, C.; Aldasoro, J.J.; Toro, M. & Comín, F.A. (1998) Specific composition and ecology of chrysophyte flagellates in Lake Sanabria (NW Spain). *Hydrobiologia*, 369/370: 287-295. *Call Number: 1084*
- Díaz, P.; Guerrero, M.C.; Alcorlo, P.; Baltanás, A.; Florín, M. & Montes, C. (1998) Anthropogenic perturbations to the trophic structure in a permanent hypersaline shallow lake: La Salada de Chiprana (north-eastern Spain). *Int.J.Salt Lake Res.*, 7: 187-210. *Call Number: 1030*

- Florín,M. & Montes,C. (1998) Which are the relevant scales to assess primary production of Mediterranean semi-arid salt lakes? *International Journal of Ecology and Environment Sciences*, 24: 161-177. *Call Number: 1099*
- Florín,M. & Montes,C. (1998) Fluctuations of hydrochemical equilibrium in temporary saline lagunas with different primary producer communities. *Verh.Internat.Verein.Limnol.*, 26: 1387-1391. *Call Number: 1098*
- Gutiérrez-Yurrita,P.J. (1998) The ecological role of the red swamp crayfish (*Procambarus clarkii*) in aquatic ecosystems of the Doñana National Park. An ecophysiological and bioenergetics perspective. *Crayfish News, IAA Newsletter*, 20 (1-2): 10-12.
- Gutiérrez-Yurrita,P.J. & Montes,C. (1998) Environmental factors controlling crayfish *Procambarus clarkii* activity in the Doñana National Park freshwater marsh (SW-Spain). *Comp.Biochem.Physiol.*, 120 (A): 713-721. *Call Number: 1100*
- Gutiérrez-Yurrita,P.J. & Montes,C. (1998) L'écrevisse rouge (*Procambarus clarkii*) dans le Parc National de Doñana. *L'Astaciculteur de France*, 55: 2-6.
- Gutiérrez-Yurrita,P.J.; Sancho,G.; Bravo-Utrera,M.A.; Baltanás,A. & Montes,C. (1998) Diet of the red swamp crayfish *Procambarus clarkii* in natural ecosystems of the Doñana National Park temporary freshwater marsh (SW Spain). *J.Crust.Biol.*, 18 (1): 120-127. *Call Number: 1101*
- Malo,J.E. & Olano,J.M. (1998) Camaronen bluesa: mangladiak. *Elhuyar.Zientzia eta Teknika*, (133-134) 46-50. *Call Number: 1175*
- Malo,J.E. & Suárez,F. (1998) The dispersal of a dry-fruited shrub by red deer in a Mediterranean ecosystem. *Ecography*, 21: 204-211. *Call Number: 1010*
- Maltchik,L.; Mollá,S. & Casado,C. (1998) Spatio-temporal heterogeneity of nutrients in a mediterranean temporary stream (Montesina Stream, SW, Spain). *Verh.Internat.Verein.Limnol.*, 26: 1062-1065. *Call Number: 1018*
- Manrique,J.; Suárez,F.; Sánchez,A.M.; Herranz,J. & Yanes,M. (1998) Investigación ornitológica en la reserva de las Amoladeras, P.N. Cabo de Gata-Níjar (Almería). *Investigación y Gestión*, 3: 67-71. *Call Number: 1105*
- Martínez,C.; Suárez,F.; Yanes,M. & Herranz,J. (1998) Distribución y abundancia de la Ganga (*Pterocles alchata*) y la Ortega (*Pterocles orientalis*) en España. *Ardeola*, 45: 11-20. *Call Number: 1553*
- Mollá,S.; Maltchik,L.; Casado,C. & Montes,C. (1998) Metabolism and nutrient assimilation by aquatic plants in a Mediterranean temporary stream. *Verh.Internat.Verein.Limnol.*, 26: 1066-1070. *Call Number: 1017*
- Moreno Saiz,J.C.; Castro Parga,I. & Sainz Ollero,H. (1998) Numerical analyses of distributions of Iberian and Balearic monocotyledons. *J.Biogeogr.*, 25: 179-194. *Call Number: 1045*
- Oñate,J.J.; Malo,J.E.; Suárez,F. & Peco,B. (1998) Regional and environmental aspects in the implementation of Spanish agri-environmental schemes. *J. Environ.Manage.*, 52: 227-240. *Call Number: 1020*
- Otero,M.; Rossi,V.; Baltanás,A. & Menozzi,P. (1998) Effect of genotype and photoperiod on diapause strategies in *Eucypris virens* (Jurine, 1820) (Crustacea: Ostracoda). *Arch.Hydrobiol.Spec.Issues Advanc.Limnol.*, 52: 229-236. *Call Number: 1029*
- Peco,B.; Espigares,T. & Levassor,C. (1998) Trends and fluctuations in species abundance and richness in Mediterranean pastures. *Applied Vegetation Science*, 1: 21-28. *Call Number: 1019b*
- Peco,B.; Ortega,M. & Levassor,C. (1998) Similarity between seed bank and vegetation in Mediterranean grassland: a predictive model. *Journal of Vegetation Science*, 9: 815-828. *Call Number: 1038*
- Peco,B.; Suárez,F.; Oñate,J.J.; Malo,J.E.; Aguirre,J. & Cummings,C. (1998) Definición y utilización de indicadores agroambientales: la experiencia de un proyecto FAIR. *Agricultura y Sociedad*, 86: 207-220. *Call Number: 1116*

- Rico,E. (1998) A revision of the *Limnius perrisi* subspecies group (Coleoptera, Elmidae) in the Iberian peninsula. *Aquat.Insects*, 20 (3): 133-139. *Call Number: 1102*
- Rico,E.& García-Avilés,J. (1998) Distribution, autoecology and biogeography of Dryopidae and Elmidae (Coleoptera, Dryopoidea) in the Balearic Islands. *Graellsia*, 54: 53-59. *Call Number: 1033*
- Traba,J.; Levassor,C. & Peco,B. (1998) Concentrating samples can lead to seed losses in soil bank estimations. *Funct.Ecol.*, 12: 975-976. *Call Number: 1070*
- Zhong Maogong; Fu Maoyi; Belcher,B. & Ruiz-Pérez,M. (1998) Effects of Social Economy and Policies on Production Management Systems - A Case Study of China's Bamboo Industries. *Forestry Economics*, 3(1): 22-34.

[\(Inicio\)](#)

(1997)

- Alcorlo,P.; Díaz,P.; Lacalle,J.; Baltanás,A.; Florín,M.; Guerrero,M.C. & Montes,C. (1997) Sediment features, primary producers and food web structure in two shallow temporary lakes (Monegros, Spain). *Water, Air and Soil Pollution*, 99: 681-689. *Call Number: 780b*
- Baonza,J. & Malo,J.E. (1997) Floral size variability of *Cytisus scoparius* along an altitudinal gradient. *Lagascalia*, 19: (1-2) 845-850. *Call Number: 789*
- Casado,M.A.; Ramírez-Sanz,L.; Castro,I.; de Miguel,J.M. & de Pablo,C.L. (1997) An objective method for partitioning dendrograms based on entropy parameters. *Plant Ecology*, 131: 193-197. *Call Number: 1046*
- Gutiérrez-Yurrita,P.J.; Green,A.; López-Romero,M.A.; Bravo,M.A. & Montes,C. (1997) Nuevo modelo de trampa para reducir el impacto de la pesca del cangrejo sobre los vertebrados en las Marismas del Guadalquivir. *Doñana, Acta Vertebrata*, 24 (1-2): 51-66. *Call Number: 1048*
- Gutiérrez-Yurrita,P.J.; Green,A. & Montes,C. (1997) Impact of crayfish *Procambarus clarkii* netting on vertebrates in the Guadalquivir marshes (SW Spain). *Crayfish News, IAA Newsletter*, 19(3): 8-9. *Call Number: 1096*
- Gutiérrez-Yurrita,P.J. & Montes,C. (1997) El cangrejo rojo de las marismas, una especie clave en los ecosistemas del Parque nacional de Doñana. *RedHumed, Boletín Conservación Humedales mediterráneos*, 1: 11-12. *Call Number: 1097*
- Malo,J.E. & Peco,B. (1997) Extensive cereal farming, steppes and dry grasslands in Spain: Ecosystems on the brink. *Call Number: 943*
- Malo,J.E. & Suárez,F. (1997) Dispersal mechanism and transcontinental naturalization proneness among Mediterranean herbaceous species. *J.Biogeogr.*, 24: 391-394. *Call Number: 973*
- Maltchik,L.; Mollá,S. & Montes,C. (1997) The effects of flash flooding on nutrient concentration and surface-hyporheic water exchange in a temporary stream (SW Spain). *Ciência e Cultura (Journal of the Brazilian association for the advancement of science)*, 49: (3) 190-194. *Call Number: 793*
- Oñate,J.J. (1997) Fractal analysis of climatic data: Annual precipitation records in Spain. *Theoretical and applied climatology*, 56: 83-87. *Call Number: 775*
- Oñate,J.J. (1997) Crítica del libro: Farming and birds in Europe. The common agricultural policy and its implications for bird conservation. *Agricultura y Sociedad*, 83: 205-209. *Call Number: 982*
- Oñate,J.J. & Álvarez Guillén,P. (1997) El programa de estepas cerealistas en Castilla y León. *Economía Agraria*, 179: 297-330. *Call Number: 976b*

- Ortega,M.; Levassor,C. & Peco,B. (1997) Seasonal dynamics of Mediterranean seed banks along environmental gradients. *J.Biogeogr.*, 24: 177-195. *Call Number: 918*
- Ramírez-Sanz,L.; Casado,M.A.; de Miguel,J.M.; Pineda,F.D.; Castro,I. & Costa,M. (1997) Relación espacial entre las comunidades de monte y pastizal a lo largo de un gradiente ambiental. *Boletín de la Sociedad Española de Pastos*, 37: 81-87.
- Reati,G.J.; Florín,M.; Fernández,G.J. & Montes,C. (1997) The Laguna de Mar Chiquita (Córdoba, Argentina): a little known, secularly fluctuating, saline lake. *Int.J.Salt Lake Res.*, 5: 187-219. *Call Number: 1047*
- Seoane,J.; Manrique,J.; Suárez,F. & Hernández,F. (1997) Alimentación de la lechuza común (*Tyto alba*) en una localidad semiárida del sureste español (Níjar, Almería). *Boletín del Instituto de Estudios Almerienses, Ciencias*, 14 (1995-1996): 179-187. *Call Number: 753*
- Suárez,F.; Martínez,C.; Herranz,J. & Yanes,M. (1997) Conservation status and farmland requirements of pin-tailed sandgrouse *Pterocles alchata* and black-bellied sandgrouse *Pterocles orientales* in Spain. *Biological Conservation*, 82: 73-80. *Call Number: 1470*
- Yanes,M.; Azcárate,F.M.; Manrique,J. & Suárez,F. (1997) Aspectos ecológicos del zorro (*Vulpes vulpes*) en la reserva de Las Amoladeras (Parque Natural Cabo de Gata-Níjar (Almería, España). *Investigación y Gestión*, 1: 73-80. *Call Number: 979*
- Yanes,M.; Herranz,J.; Manrique,J.; del Moral,J.C. & Suárez,F. (1997) La orientación de los nidos de paseriformes esteparios. *Doñana, Acta Vertebrata*, 24: 210-217. *Call Number: 1554*
- Yanes,M. & Suárez,F. (1997) Nest predation and reproductive traits in small passerines: a comparative approach. *Acta Oecologica*, 18 (4): 413-426. *Call Number: 909*

[\(Inicio\)](#)

(1996)

- Alcorlo,P.; Baltanás,A. & Montes,C. (1996) Is it possible to predict the salinity of Iberian salt lakes from their conductivity? *Hydrobiologia*, 330: 137-142. *Call Number: 364*
- Baonza,J. (1996) *Viscum album* L. subsp. *album* en Madrid. *Ecología*, 10: 317-319. *Call Number: 772*
- Byron,N. & Ruiz-Pérez,M. (1996) What future for the tropical moist forest 25 years hence? *Commonwealth Forestry Review*, 75(2): 124-129.
- Castro Parga,I.; Moreno Saiz,J.C.; Humphries,C.J. & Williams,P.H. (1996) Strengthening the Natural and National Park system of Iberia to conserve vascular plants. *Bot.J.Linn.Soc.*, 121: 189-206. *Call Number: 1049a*
- Castro,I.; Casado,M.A.; Ramírez-Sanz,L.; de Miguel,J.M.; Costa,M. & Pineda,F.D. (1996) Funciones de estimación de la biomasa aérea de varias especies del matorral mediterráneo del centro de la Península Ibérica. *Orsis*, 11: 107-116. *Call Number: 778*
- Cirujano,S.; Casado,C.; Bernués,M. & Camargo,J.A. (1996) Ecological study of las tablas de Daimiel national park (Ciudad Real, Central Spain): Differences in water physico-chemistry and vegetation between 1974 and 1989. *Biol.Conserv.*, 75: 211-215. *Call Number: 970*
- Danielopol,D.L. & Baltanás,A. (1996) [Book Review] Sididae and Holopedidae by NM Korovchinsky. *Crustaceana*, 69(6): 806.
- Danielopol,D.L. & Baltanás,A. (1996) Similarities between the intersitial ostracod fauna of the main channel and a backwater of the River Danube in Lower Austria. *Arch.Hydrobiol.*, 113: (1-4) 443-449. *Call Number: 1415*

- Danielopol,D.L.; Baltanás,A. & Bonaduce,G. (1996) The darkness syndrome in subsurface-shallow and deep-sea dwelling Ostracoda (Crustacea). *Biosystematics and Ecology Series*, 11: 123-143.
- de Lucio,J.V.; Mohamadian,M.; Ruiz,J.P.; Benayas,J. & Bernáldez,F.G. (1996) Visual Landscape Exploration as Revealed by Eye Movement Tracking. *Landscape & Urban Planning*, 34: 135-142. *Call Number: 712*
- González Mozo,M.E.; Martens,K. & Baltanás,A. (1996) A taxonomic revision of European *Herpetocypris* Brady and Norman, 1889 (Crustacea, Ostracoda). *Bulletin de L'Institut Royal des Sciences Naturelles de Belgique. Biologie*, 66: 93-132. *Call Number: 1416*
- Gutiérrez-Yurrita,P.J.; Ilheu,M.; Montes,C. & Bernardo,J. (1996) Morphometrics of two red swamp crayfish populations from a temporary freshwater marsh (Doñana National Park, SW Spain) and temporary stream (Pardiela stream, S. Portugal). *Freshwater Crayfish*, 11: 384-393.
- Malo,J.E. (1996) Investigaciones frescas. Endozoocoria por mamíferos herbívoros. *Ecosistemas*, 16: 80. *Call Number: 969*
- Malo,J.E. & Suárez,F. (1996) New insights into pasture diversity: the consequences of seed dispersal in herbivore dung. *Biodivers.Lett.*, 3: 54-57. *Call Number: 884*
- Malo,J.E. & Suárez,F. (1996) *Cistus ladanifer* recruitment - not only fire, but also deer. *Acta Oecologica*, 17: (1) 55-60. *Call Number: 766*
- Malo,J.E. & Suárez,F. (1996) Las boñigas de vaca, el encespelado de *Poa bulbosa*, y la diversidad en un pastizal de dehesa. *Pastos*, XXXVI: (1) 61-75. *Call Number: 1160*
- Mollá,S.; Maltchik,L.; Casado,C. & Montes,C. (1996) Particulate organic matter and ecosystem metabolism dynamics in a temporary Mediterranean stream. *Arch.Hydrobiol.*, 137: 59-76. *Call Number: 783*
- Múgica,M. & de Lucio,J.V. (1996) The role of on-site experience on landscape preferences. A case study at National Park (Spain). *J. Environ. Manage.*, 47: 229-239. *Call Number: 767*
- Oñate,J.J. & Pou,A. (1996) Temperature variations in Spain since 1901: A preliminary analysis. *Int.J.Climatol.*, 16: 805-815. *Call Number: 765*
- Rico,E. (1996) Distribución de los Elmidae (Coleoptera: Dryopoidea) en la Península Ibérica e islas Baleares. *Graellsia*, 52: 115-147. *Call Number: 981*
- Ruiz-Pérez,M.; Fu Maoyi; Xie Jinzhong; B. Belcher; Zhong Maogong & Xie Chen (1996) Policy Change in China: The Effects on the Bamboo Sector in Anji County. *Journal of Forest Economics*, 2(2): 149-176.
- Uiblein,F.; Roca,J.R. & Baltanás,A. (1996) Tradeoff between foraging and antipredator behaviour in a macrophyte dwelling ostracod. *Arch.Hydrobiol.*, 137: (1) 119-133. *Call Number: 1414*
- Wickramasinghe,A.; Ruiz-Pérez,M. & Blockhus,J.M. (1996) Non-timber forest product gathering in Ritigala Forest (Sri Lanka): Household strategies and community differentiation. *Human Ecology*, 24(4): 493-519.
- Yanes,M.; Herranz,J. & Suárez,F. (1996) Facultative Nest-Parasitism among Iberian Shrubsteppe Passerines. *Bird Study*, 43: 119-123. *Call Number: 910*
- Yanes,M.; Herranz,J. & Suárez,F. (1996) Nest microhabitat selection in larks from a European semi-arid shrub-steppe: the role of sunlight and predation. *J.Arid Environ.*, 32: 469-478. *Call Number: 913*
- Yanes,M. & Oñate,J.J. (1996) Does nest predation affect nest-site selection in larks? *Rev.Ecol.(Terre Vie)*, 51: 259-267. *Call Number: 768*
- Yanes,M. & Suárez,F. (1996) Incidental nest predation and lark conservation in a Iberian semiarid shrubsteppe. *Conserv.Biol.*, 10: 881-887. *Call Number: 924*

- Yanes,M. & Suárez,F. (1996) Mortalidad en nido y viabilidad poblacional de alaudidos. *Ardeola*, 43: 57-68. *Call Number: 960*

(Inicio)

(1995)

- Alonso,J.C.; Alonso,J.A.; Martín,E. & Morales,M.B. (1995) Range and patterns of Great Bustard movements at Villafafila, NW Spain. *Ardeola*, 42: 69-76. *Call Number: 1722*
- Baltanás,A.& Danielopol,D.L. (1995) Cladistic analysis of Danielopolina species (Ostracoda, Thaumatozoididae) and the origin of the anchialine fauna. *Mitt.Hamb.Zool.Mus.Inst.*, 92: 315-324. *Call Number: 1091*
- Baonza,J.; Gutiérrez,A. & Traba,J. (1995) Primeras citas de Fresno Florido, *Fraxinus ornus* L., en Burgos. *Anales del Jardín Botánico de Madrid*, 53: (1) 128-129. *Call Number: 945*
- Blanco,R. & Benayas,J. (1995) Turismo en los espacios naturales. *Ecosistemas*, 11: 54-58. *Call Number: 593*
- Blanco,R. & Benayas,J. (1995) Evaluación de impactos de las nuevas actividades recreativas. Turismo en los espacios naturales. *Ecosistemas*, 11: 54-58. *Call Number: 968*
- Camarero,L.; Catalán,J.; Pla,S.; Rieradevall,M.; Jiménez,M.; Prat,N.; Rodríguez,A.; Encina,L.; Cruz-Pizarro,L.; Sánchez-Castillo,P.; Carrillo,P.; Toro,M.; Grimalt,J.; Berdie,L.; Fernández,P. & Vilanova,R. (1995) Remote mountain lakes as indicators of diffuse acidic and organic pollution in the Iberian Peninsula (AL:PE 2 STUDIES). *Water, Air and Soil Pollution*, 85: 487-492. *Call Number: 1051*
- Carles Arribas,J.L. (1995) La dimensión sonora del medio ambiente. Interacción entre sonido e imagen en la valoración del paisaje. *Call Number: 955*
- De la Puente,J. & Yanes,M. (1995) Tasas de depredación en nido de paseriformes ibéricos nidificantes por encima del suelo. *Ardeola*, 42: (2) 139-146. *Call Number: 961*
- Espigares,T. & Peco,B. (1995) Mediterranean annual pasture dynamics: impact of autumn drought. *J.Ecol.*, 83: 135-142. *Call Number: 888*
- Gómez-Limón,F.J. & de Lucio,J.V. (1995) Recreational activities and loss of diversity in grasslands in alta Manzanares natural park, Spain. *Biol.Conserv.*, 74: 99-105. *Call Number: 937*
- Malo,J.E.; Baonza,J. & Suárez,F. (1995) Diferencias intra e interpoblacionales y entre años, en la morfología floral de *Cytisus scoparius* (L.) Link. *Anales del Jardín Botánico de Madrid*, 53: (1) 33-40. *Call Number: 946*
- Malo,J.E.; Jiménez,B. & Suárez,F. (1995) Seed bank build-up small disturbances in a Mediterranean pasture: the contribution of endozoochory dispersal by rabbits. *Ecography*, 18: 73-82. *Call Number: 891*
- Malo,J.E. & Suárez,F. (1995) Herbivorous mammals as seed dispersers in a Mediterranean dehesa. *Oecologia*, 104: 246-255. *Call Number: 947*
- Malo,J.E. & Suárez,F. (1995) Establishment of pasture species on cattle dung: the role of endozoochory seeds. *Journal of Vegetation Science*, 6: 169-174. *Call Number: 889*
- Malo,J.E. & Suárez,F. (1995) Cattle dung and the fate of *Biserrula pelecinus* L. (Leguminosae) in a Mediterranean pasture: seed dispersal, germination and recruitment. *Bot.J.Linn.Soc.*, 118: 139-148. *Call Number: 938*
- Oñate,J.J. & Pou,A. (1995) Climatic changes in western Spain. Are there correlations with phytoclimates? *Int.J.Biometeorol.*, 39: 22-28. *Call Number: 936*

- Rico,E.; Chicote,A.; González,M.E. & Montes,C. (1995) Batimetría y análisis morfométrico del lago de Arreo (N. España). *Limnetica*, 11(1): 55-58. *Call Number: 1052*
- Ruiz Pérez,M. (1995) A conceptual framework for CIFOR`s research on non-wood forest. *Working paper CIFOR*, 6: *Call Number: 693*
- Ruiz,J.P. (1995) The mountains of the mediterranean world: An environmental history. *Forest & Conservation History*, (39)3: 149-150.
- Yanes,M. & Suárez,F. (1995) Nest predation patterns in ground-nesting passerines on the Iberian Peninsula. *Ecography*, 18: 423-428. *Call Number: 923*
- Yanes,M.; Velasco,J.M. & Suárez,F. (1995) Permeability of roads and railways to vertebrates: the importance of culverts. *Biol.Conserv.*, 71: 217-222. *Call Number: 886*

[\(Inicio\)](#)

(1994)

- Azcárate,F.M.; Yanes,M. & Suárez,F. (1994) Acerca de la dieta primaveral de perros asilvestrados (*Canis familiaris*) en una localidad del Sureste Ibérico. *Doñana, Acta Vertebrata*, 21: (2) 193-198. *Call Number: 931*
- Benayas,J. (1994) Centres of interest for school children in environmental learning programmes. *Research innovations in education environmental in Europe*, 1: 5. *Call Number: 895*
- Bodelón,O.G.; Bernués,M.; Baltanás,A. & Montes,C. (1994) Conductividad y Salinidad en los ecosistemas acuáticos del Parque Nacional de Doñana (SO España). *Limnetica*, 10 (2): 27-31. *Call Number: 626*
- Bravo,M.A.; Duarte,C.M. & Montes,C. (1994) Environmental factors controlling the life history of *Procambarus clarkii* (Decapoda, Cambaridae) in a temporary marsh of the Doñana National Park (SW Spain). *Verh.Internat.Verein.Limnol.*, 25: 2450-2453. *Call Number: 1056*
- Casado,S. & Montes,C. (1994) ¿Que es la ecología? La definición de la ecología desde su historia. *Arbor*, 579: 99-125. *Call Number: 862*
- de Lucio,J.V.& Múgica,M. (1994) Landscape preferences and behaviour of visitors to Spanish national parks. *Landscape Urban Plann.*, 29: 145-160. *Call Number: 894*
- Florín,M.; Priebe,C. & Besteiro,A.G. (1994) Influence of hydric regime and sediments on primary producers communities in saline lakes of La Mancha (Central Spain). *Verh.Internat.Verein.Limnol.*, 25: 1342-1344. *Call Number: 877*
- Gómez-Limón,F.J. & de Lucio,J.V. (1994) Recreational use model in a wilderness area. *J.Environ.Manage.*, 40: 161-171. *Call Number: 865*
- Gutiérrez-Yurrita,P.J.; Bravo-Utrera,M.A.; Jorda,J.R.; Baltanás,A. & Montes,C. (1994) Análisis preliminar de la tasa metabólica estandar en el cangrejo rojo, *Procambarus clarkii* (Decapoda: Cambaridae), en el bajo Guadalquivir (S. España). *Limnetica*, 10: (1) 123-128. *Call Number: 912*
- Herranz,J.; Manrique,J.; Yanes,M. & Suárez,F. (1994) The breeding biology of Dupont's Lark, *Chersophilus duponti*, in Europe. *Avocetta*, 18: 141-146. *Call Number: 951*
- Malo,J.E. & Suárez,F. (1994) Dispersión endozoócara por el gamo (*Dama dama* L.) e introducción de especies con el pastoreo. *Pastos*, XXIV: (1) 47-56. *Call Number: 890*
- Maltchik,L. & Mollá,S. (1994) Nutrient dynamics in hyporheic zone in a Mediterranean stream in Sierra Morena (SW Spain). *Verh.Internat.Verein.Limnol.*, 25: 1434-1437. *Call Number: 876*

- Maltchik,L.; Mollá,S.; Casado,C. & Montes,C. (1994) Measurement of nutrient spiralling in a Mediterranean stream: Comparison of two extreme hydrological periods. *Arch.Hydrobiol.*, 130 (2): 215-227. *Call Number: 864*
- Mollá,S.; Maltchik,L. & Casado,C. (1994) Primeros datos sobre metabolismo de un arroyo temporal mediterráneo de Sierra Morena (Córdoba). *Limnetica*, 10: (1) 59-67. *Call Number: 914*
- Múgica de la Guerra,M. (1994) Modelos de demanda paisajística y uso recreativo de los espacios naturales. *Ecosistemas*, 8: 64. *Call Number: 786*
- Peco,B. & Espigares,T. (1994) Floristic fluctuations in annual pastures: the role of competition at the regeneration stage. *Journal of Vegetation Science*, 5: 457-462. *Call Number: 882*
- Priebe,C. & Florín,M. (1994) *Rupia drepanensis* Tineo (Potamogetonaceae): Biomass and flowering in two saline lakes. *Verh.Internat.Verein.Limnol.*, 25: 2255-2258. *Call Number: 484*
- Santamaría,L.; Hootsmans,M.J.M.; Montes,C. & Van Vierssen,W. (1994) Effect of bicarbonate availability on the primary production of *Ruppia drepanensis* Tineo from a Mediterranean Blackish marsh. *Verh.Internat.Verein.Limnol.*, 25: 2251-2254. *Call Number: 1055*
- Yanes,M.; Azcárate,F.M.; Manrique,J. & Suárez,F. (1994) Aspectos ecológicos del zorro (*Vulpes vulpes*) en la R.O de las Amoladeras, Almería: su implicación en la gestión de un enclave protegido. *Investigación y Gestión*, 1: 73-80. *Call Number: 885*
- Yanes,M.; Martín,F.; Manrique,J. & Suárez,F. (1994) Aspectos ecológicos del zorro (*Vulpes vulpes*) en la R.O de las Amoladeras, Almería: su implicación en la gestión de un enclave protegido. *Investigación y Gestión*. *Call Number: 885*

[\(Inicio\)](#)

(1993)

- Álvarez Cobelas,M.; Baltanás,A.; Velasco,J.L.; Valladolid,M.; Izquierdo,M. & Martín,E. (1993) Slow overturn in a gravel pit-lake. *Verh.Internat.Verein.Limnol.*, 25: 83-87.
- Baltanás,A. & García-Avilés,J. (1993) New records of freshwater Ostracoda (Crustacea) from the Canary Islands. *Bulletin de la Société des naturalistes luxembourgeois*, 94: 219-232.
- Baltanás,A.; Danielopol,D.L.; Roca,J. & Marmonier,P. (1993) *Psychrodromus betharrami* n.sp. (Crustacea, Ostracoda): Morphology, Ecology and Biogeography. *Zoologischer Anzeiger*, 231: 39-57.
- Benayas,J. (1993) Una estrategia hacia el porvenir. *Ecosistemas*, 5: 54-55. *Call Number: 670*
- Benayas,J. (1993) Educación para un desarrollo sustentable: Un nuevo traje para una vieja idea. *Ecosistemas*, 4: 4. *Call Number: 827*
- Bernáldez,F.G.; Rey,J.M. & Martínez,A. (1993) Ecological impact of groundwater extraction on wetlands (Douro Basin, Spain). *Journal of Hydrology*, 141: 219-238. *Call Number: 617*
- Espigares,T. & Peco,B. (1993) Mediterranean pasture dynamics: the role of germination of annual Mediterranean pasture species. *Journal of Vegetation Science*, 4: 189-194. *Call Number: 633*
- Florín,M.; Montes,C. & Rueda,F. (1993) Origin, hydrologic, and morphometric characteristics of small, shallow, semiarid lakes (lagunas) in La Mancha central Spain. *Wetlands*, 13: 247-259. *Call Number: 579*
- Grillas,P.; García-Murillo,P.; Geetz-Hansen,O.; Marbá,N.; Montes,C.; Duarte,C.M.; Tan Ham,L. & Grossmann,A. (1993) Submerged macrophytes seed bank in a temporary marsh (Doñana

National Park, SW Spain): Abundance and relationship with established vegetation. *Oecologia*, 94: 1-6. *Call Number: 750*

- Herranz,J.; Yanes,M. & Suárez,F. (1993) Primeros datos sobre la dieta de pollos de Alondra de Dupont, *Chersophilus duponti*, en la Península Ibérica. *Ardeola*, 40: (1) 77-79. *Call Number: 838*
- Jorda,J.R.; López Sánchez,S.; Ramírez-Uña,J. & Montes,C. (1993) Culícidos (Diptera: Culicidae) del Parque Nacional de Doñana. *Anales de Biología*, 19: 93-104. *Call Number: 1060*
- Menghi,M.; Cabido,M.; Acosta,A.; Peco,B. & Pineda,F.D. (1993) Changes in pasture communities subject to burning in the Córdoba mountains, Argentina. *Coenoses*, 8: 1-10. *Call Number: 832*
- Menghi,M.; Peco,B. & Pineda,F.D. (1993) Spatial organization of gneissic grasslands related to relief and soil variability. *Ber.Geobot.Institut ETH*, 59: 106-123. *Call Number: 833*
- Montalvo,J.; Casado,M.A.; Levassor,C. & Pineda,F.D. (1993) Species diversity patterns in Mediterranean grasslands. *Journal of Vegetation Science*, 4: 213-222. *Call Number: 829*
- Montalvo,J.; Levassor,C.; Casado,M.A. & Pineda,F.D. (1993) Stability of ecological systems: variation trends and control mechanisms in Mediterranean grasslands. *Pirineos*, 141-142: 35-46. *Call Number: 845*
- Ortega,M.; Levassor,C.; Casado,M.A. & Peco,B. (1993) Phenological organization of mediterranean pastures in different environments studied through diversity parameters. *Anales de Biología*, 19: (8) 105-120. *Call Number: 905*
- Roca,J.R. & Baltanás,A. (1993) Ecology and distribution of Ostracoda in Pyrenean springs. *Journal of Crustacean Biology*, 13(1): 165-174.
- Roca,J.; Baltanás,A. & Uiblein,F. (1993) Adaptive responses in *Cypridopsis vidua* (Crustacea: Ostracoda) to food and shelter offered by a macrophyte (*Chara fragilis*). *Hydrobiologia*, 262: 127-131.
- Ruiz,J.P. & Benayas,J. (1993) Investigación sobre la percepción del entorno. *Ecosistemas*, 6: 10-15. *Call Number: 847*
- Suárez,F.; Manrique,J. & Yanes,M. (1993) Mortalidad en nidos de aves esteparias: influencia en los ciclos reproductivos y poblacionales. *Stvdia OEcológica*, III: 241-248. *Call Number: 804*
- Suárez,F.; Yanes,M.; Herranz,J. & Manrique,J. (1993) Nature reserves and the conservation of iberian shrubsteppe passerines: the paradox of nest predation. *Biol.Conserv.*, 64: 77-81. *Call Number: 704*
- Toro,M.; Flower,R.J.; Rose,N. & Stevenson,A.C. (1993) The sedimentary record of the recent history in a high mountain lake in central Spain. *Verh.Internat.Verein.Limnol.*, 25: 108-112. *Call Number: 1061*
- Vidondo,B.; Martínez,B.; Montes,C. & Guerrero,M.C. (1993) Physico-chemical characteristics of a permanent Spanish hypersaline lake: La Salada de Chiprana (NE Spain). *Hydrobiologia*, 267: 113-125. *Call Number: 843*

[\(Inicio\)](#)

[\(1992\)](#)

- Baltanás,A. (1992) A contribution to the knowledge of the cypridid ostracode fauna (Crustacea, Ostracoda, Cyprididae) on the Iberian Peninsula, and a comparison with adjacent areas. *Archiv für Hydrobiologie (Suppl.)*, 90: 419-452.

- Baltanás,A. (1992) *Eusarsiella bedoyai* (Myodocopida, Sarsiellidae), a new ostracode species from a marine lava cave in the Canary Islands. *Bijdragen tot der Dierkunde*, 61: 251-255.
- Baltanás,A. (1992) On the use of some methods for the estimation of species richness. *Oikos*, 65: 484-492.
- Baltanás,A & Rincón,P.A. (1992) Application of a cluster-bootstrapping method for identifying the dietary patterns of fish populations. *Ecology of Freshwater Fish*, 1: 130-139.
- Baltanás,A.; Montes,C. & Martínez-Marcos,A. (1992) Preserving Ecological processes, a strategy for biological conservation in fluctuating environments. *Environmental Encounters Series* (Council of Europe), 14: 28-31.
- Benayas,J.; De la Cruz,M.T. & Rey Benayas,J.M. (1992) Características micromorfológicas de suelos de humedales en zonas semiáridas (cuenca del Duero). *Suelo y Planta*, 2: 13-25. *Call Number: 798*
- Bernáldez,F.G. & Rey Benayas,J.M. (1992) Geochemical relationships between groundwater and wetland soils and vegetation in Central Spain. *Geoderma*, 55: 273-288. *Call Number: 616*
- Bífani,P. (1992) Brevets sur le vivant: débats et controverses. *Cahiers d'économie et sociologie rurales*, 24-25: 178-188. *Call Number: 813*
- Carles,J.L.; Bernáldez,F.G. & de Lucio,J.V. (1992) Audio-visual interactions in soundscape preferences. *Landscape Res.*, 17: (2) 52-56. *Call Number: 684*
- Casado,C. & Montes,C. (1992) Composición química y caracterización ambiental de los tramos lóticos del eje principal del río Lozoya (Madrid). *Ecología*, 6: 29-42. *Call Number: 812*
- Casado,S. & Montes,C. (1992) A short history of eighty years of limnology in Spain. *Limnetica*, 8: 1-9. *Call Number: 665a*
- Castro,M.I.; Miguélez,A. & Galiano,E.F. (1992) Detección y medida de la estratificación vertical de la especie en pastizales mediterráneos. *Stvdia Oecologica*, IX: 77-91. *Call Number: 1062*
- García de Jalon,D.; González del Tánago,M. & Casado,C. (1992) Ecology of regulated streams in Spain: an overview. *Limnetica*, 8: 161-166. *Call Number: 665c*
- González Bernáldez,F. (1992) Ecological aspects of wetland/groundwater relationships in Spain. *Limnetica*, 8: 11-26. *Call Number: 665b*
- Guerrero,M.C. & De Wit,R. (1992) Microbial mats in the inland saline lakes of Spain. *Limnetica*, 8: 197-204. *Call Number: 665d*
- Pou,A. (1992) Cambio climático y referencia a la degradación de suelos. *Ecosistemas*, 3: 24-26. *Call Number: 799*
- Rico,E.c. (1992) Planes hidrológicos. *Alquibla*, 12: 32-47.
- Ruiz,J.P. (1992) Following in the footsteps of Fernando G. Bernáldez. *Journal of Human Ecology*, 3 (2): 415-416. *Call Number: 819*
- Santamaría,L.; Balsa,J.; Vidondo,B.; Baltanás,A. & Montes,C. (1992) Salinity tolerance of three ostracod species (Crustacea: Ostracoda) of the Iberian saline lakes. *Hydrobiologia*, 246: 89-98. *Call Number: 1088*
- Suárez,F. & Manrique,J. (1992) Low breeding success in Mediterranean shrubsteppe passerines. Notes on the Thekla Lark, Galeridae theklae, Lesser Short-toed Lark, Calandrella rufescens, and Black-eared Wheatear, Oenanthe hispanica. *Ornis Scandinavica*, 23: 24-28. *Call Number: 625*
- Vidal-Abarca,M.R.; Montes,C.; Suárez,M.L. & Ramírez-Díaz,L. (1992) An approach to the ecological characterization of arid and semiarid basins. *GeoJournal*, 26(3): 335-340. *Call Number: 756*

[\(Inicio\)](#)

(1991)

- Benayas,J.; Herrero,C.; de Lucio,J.V. & De Blas,P. (1991) Some Features of Environmental Education in Spain. *European Journal of Education*, 26(4): 315-323. *Call Number: 663*
- de Lucio,J.V. (1991) Automatic analysis of environmental attitudes. Optimization and application to children's nature preferences. *Environmental Behavior*, *Call Number: 689*
- González Besteiro,A. & Montes,C. (1991) Sectorización ecológica del acuífero de Madrid como base para la elaboración de una clasificación genética y funcional de sus humedales. *Estudios Geográficos*, 205: 601-623.
- Guerrero,M.C.; Balsa,J.; Pascual,M.; Martínez,B. & Montes,C. (1991) Caracterización limnológica de la laguna salada de Chiprana (Zaragoza, España) y sus comunidades de bacterias fototróficas. *Limnetica*, 7: 83-96. *Call Number: 762a*
- Membiela,P.; Montes,C. & Martínez Ansemil,C. (1991) Contribución al conocimiento de las características hidroquímicas de los ríos de Galicia (NW Península Ibérica). *Limnetica*, 7: 163-174.
- Montalvo,J.; Casado,M.A.; Levassor,C. & Pineda,F.D. (1991) Adaptation of ecological systems: compositional patterns of species and morphological and functional traits. *Journal of Vegetation Science*, 2: 655-666. *Call Number: 669*
- Monzón,A.; Casado,C.; Montes,C. & García de Jalón,D. (1991) Organización funcional de las comunidades de macroinvertebrados acuáticos de un sistema fluvial de montaña (Sistema Central. Río Manzanares. España). *Limnetica*, 7: 97-111. *Call Number: 622*
- Ruiz Pérez,M. (1991) Forstpolitik für den Mittelmeerwald erfordert Engagement und Phantasie. *Holz-Zentralblatt*, 104: 1582-1583. *Call Number: 678*
- Suárez,F. (1991) Influencias ambientales en la variación del tamaño, forma y peso de los huevos de la Collalba rubia (*Oenanthe hispanica* L.). *Acta Vertebrata*, 18(1): 39-49. *Call Number: 618b*
- Valladares,L.F. & Montes,C. (1991) Redescipción de *Hydraena balearica* Orchimont, 1930 (Coleoptera, Hydraenidae). *Elytron*, 5: 3-8. *Call Number: 1063*
- Yanes,M.; Suárez,F. & Manrique,J. (1991) La cogujada montesina, *Galerida theklae*, como depredador del caracol *Otala lactea*: comportamiento alimenticio y selección de presa. *Ardeola*, 38(2): 297-303. *Call Number: 679*

[\(Inicio\)](#)